


A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXVII. No. 27.

NEW YORK, DECEMBER 31, 1892.

83.00 A YEAR. WHEELY.





MOVING THE GREAT TOWER OF THE HARLEM RIVER RAILROAD BRIDGE-GENERAL VIEW OF OLD AND OF TEMPORARY BRIDGE-[See page 401.]

# Scientific American.

ESTABLISHED 1846.

MUNN & CO., Editors and Proprietors. PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

O. D. MUNN.

A. E. BEACH.

#### TERMS FOR THE SCIENTIFIC AMERICAN.

One cour, six months, for the U. S., Canada or Mexico Remit by postal or express money order, or by bank draft or check.

MUNN & CO., 361 Brondway, corner of Franklin Street, New York.

#### The Scientific American Supplement

distinct paper from the SCHENTIFIC AMERICAN. THE SUPPLEMENT study weekly. Every number contains is octavo pages, uniform in size is SCHENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, a year, for the U.S., Canada or Moxico. \$6.00 a year to foreign atries belonging to the Postal Union. Single copies, it contas, Sold il newsdeelers throughout the country. See prospectus, last pages, such incl. & Anten.—The SCHENTIFIC AMERICAN and SUPPLEMENT be sent for one year, to say address in U.S., Canada or Mexico, on jet of serve industry.

#### Building Edition.

RCEITECTS AED SUILDERS EDITION OF THE SCIENTIFIC ANI large and aplenoid illustrated periodical, issued monthly, door plans, perspective views, and sheets of constructive detage to modern architecture. Each number is illustrated as plates, showing desirable dwellings, public buildings and ar-work in great variety. To builders and all who contemplate bur-rork in invatuable. Hen the largest circulation of any archi-

work is invaluable. Has the largest circulation of any architectal in the world, copies 25 cents. By small, to any part of the United States, Camaia, copies 25 cents. By small, to any part of the United States, Camaia, \$2.0a year. To foreign Foutal Union countries, \$3.00 a year, ed rate for BUILDING EDITION with SCIENTIFIC AMERICAN, \$6.00 combined rate for SULEDING EDITION, SCIENTIFIC AMERICAN, \$6.00 a year. To foreign countries, \$11.50 a year.

#### Spanish Edition of the Scientific American.

MUNN & CO., Publishers, 351 Broadway, New York

The anfest way to remit is by poetal order, express money order, raft or bank check. Make all remittances payable to order of MUNN

NEW YORK, SATURDAY, DECEMBER 31, 1892.

#### Contents

418 438

419 Tiger, a royal Bengal'....

#### TABLE OF CONTENTS OF

## SCIENTIFIC AMERICAN SUPPLEMENT

No. 887.

For the Week Ending Becember 31, 1892.

Price 30 cents. For sale by all newsdealers

ABCH-MOLOGY.—Temples in Central Africa.—A paper on Zim-babere, in Macbonaland, touching on the archimology, astronomy, and mathematics brought out by the disseveries.

II. CHEMISTEY .- Setimating the Acidity of Milk. -By Dr. BOND. -The acidimetry of milk, with description of the technique of the testing
Determination of the Alkaloida.—By L. BARTHE
thod for this determination, based on the action
on limms and their want of action on phasoclubels

III. CIVIL ENGINEERING.—Brick Bridges in Persia.—Interesting notes on the engineering works of Persia.—3 illustrations. New York Building Stones.—A report of the New York State Museum on this all-important subject, treating of the qualities of stones found in the State of New York.

V. HTGIENE.—Contributions to the Study of Disinfection.—Note of a very elaborate investigation on disinfectants, with the con clusions reached by the experimenter, Prof. J. MASCHEE.

VI. MECHANICAL ENGINEERING.—Improved Radial Drill.—A drilling machine designed to refuse the number of estings re-quired in drilling any piece of work.—I flustration.

14108 al Toy. An excellent toy. A waiking figure. Its

tions of the

#### RENEW SUBSCRIPTIONS NOW.

The year of 1892 will be closed with this issue of the SCIENTIFIC AMERICAN and many subscriptions expire with this number. The publishers desire to call attention to this fact for the reason that, by remitting the subscription price without delay, the name of the subscriber will not be taken from the books and he will continue to receive the paper without interruption. It is the intention of the publisher to make the paper during the coming year of especial interest. An unparalleled opportunity to procure subjects of interest to the reader will be afforded by the World's Fair, and with a special correspondent and artists on the spot, this opportunity will be taken every advantage of. Every effort will be made to make a record, both editorially and pictorially, of the industrial and scientific development of the country, as manifested by the works and exhibits at the fair, and this record will be valuable to preserve for future reference. Many subjects that cannot appropriately find place in the SCIENTIFIC AMERICAN will be published in the SUPPLEMENT.

Those who send their subscriptions directly to this office will be assured of the regular receipt of the paper, by mail prepaid.

#### PROPOSED RAILWAY TUNNEL UNDER THE TWO RIVERS AT NEW YORK.

A large railway tunnel under the North and East Rivers, connecting Brooklyn, New York City, and Jersey City, has been projected by Mr. Austin Corbin, of the New Jersey Central Railroad and the Long Island Railroad. It is said the Pennsylvania Railroad has been considering the matter of joining in the construction. Some \$50,000 has been expended in preliminary surveys and borings, under the supervision of Mr. Charles M. Jacobs, C.E., who reports that the construction under both rivers, and under the city of New York, will all be, with the exception of a short section in the North River, through very solid gneiss, in such firm and regular position as to almost entirely prevent leak age, and so that a lining even will hardly be necessary. It is planned that the tunnel shall start at Flatbush Avenue, in Brooklyn, the present terminus of the Long Island Railroad, thence passing by easy gradients to a greatest depth of 140 feet below the two rivers and the lower end of New York City. The tunnel will be connected by elevator shafts with the surface at two or three places in Brooklyn, and there will be similar stations in New York City as may be desired, the tunnel passing under the city from the foot of Maiden Lane to the foot of Cortlandt Street, and under the present Pennsylvania depot in Jersey City. It is said that the excavation will be 29 feet high and 21 feet wide in the clear, and that work can be prosecuted at seven different points at the same time. It is estimated that the construction can be completed in three or four years.

#### THE TWO ENGLISH-AMERICAN STEAMERS.

The two magnificent ocean steamers of the Inman line, the City of New York and the City of Paris, heretofore sailing under English colors, though owned by American citizens, will shortly assume the flag of the United States, in accordance with the recent act of Congress authorizing such assumption. At present these are the fastest passenger vessels affoat. They are of 560 feet length, 10,500 tons, 20,000 horse power, built to earry an armament in the event of war, and may be taken by our government should hostilities make it necessary. The change of flag will take place in February and March next. At the same time there will be a change of ports in England.

Heretofore the ships have sailed between New York and Liverpool, calling at Queenstown. In March next they will change to Southampton, where passengers can be landed at the dock, and reach London in less than two hours' time, thus avoiding the delays, inconveniences and long railway rides of the Liverpool

The speed supremacy heretofore enjoyed by these ships will probably be overcome in the course of Cunard steamers Campania and Lucania, each of back returns greater than the expenditure. 30,000 horse power, 700 feet length, 90,000 tons, are ready for sea. It is a question, however, whether the Cunard boats will be able to beat our ships more than half a day in time; and it seems probable, therefore, & Sons, of Pallion, Sunderland, launched from their that passengers by the latter will be able to reach ship building yard the steamer Samoa, which has been London fully as quickly as they could via Liverpool built to the order of Messrs. Crow, Rudolf & Co., of and the new Cunarders.

Under the new order of things, commencing in March, the City of Paris will deliver the United States mails at the London post office at least eight hours earlier than she has previously been able to do, and from four to five hours sooner than any other steamship, except the City of New York. By the new route the passenger will embark at the Inman line's new pier at New York, and upon arriving at the new Empress docks, Southampton, will board a special train for London, after passing a brief custom house examination. His baggage will go to London on the same train, and a ride of an hour and a half will land

him in the English metropolis, where he can enjoy a half day's sightseeing before the tourist who came by Liverpool arrives.

### IMPROVEMENT OF LOCAL POSTAL FACILITIES.

Postmaster-General Wanamaker has entered into an agreement with the United States Automatic Dispatch Company, of New York, by which the company agrees to lay, at its own expense, a double line of tubes or other form of conduit, connecting the main Post Office building in New York with the main Post Office at Brooklyn for the transmission of the mails. It agrees to pay all expenses connected with the construction of the system, to maintain and operate it for a year, to remove it when required to do so by the Postmaster-General, and to pay all damages to the buildings or other property. When completed, the company agrees to turn over the tubes and their appurtenances to the Post Office Department for such practical tests as the postmasters of New York and Brooklyn or the Postmaster-General may see fit to make, the tests to be at the expense of the company.

It is further agreed that the company shall provide electric power for the operation of the system, and shall lease it to the United States year by year, or sell it to the United States at its actual cost. The transportation, it is said, will be done by a miniature trolley railway, inclosed in a 16 inch square conduit. The mail matter will be placed in carriers of steel wire, 4 feet long and 14 inches square, each carrier taking a pouch containing 8,000 letters, or an equal bulk of other classes of mail. In the end of each carrier or car is a small electric motor, taking the current from a wire running between the tracks. It is expected that the cars will develop a speed of between 70 and 100 miles an hour. The cutting off of power and all switching will be done automatically, so that the clerks at either end will merely have to load and start the cars. The author of this plan is Mr. Andrew Bryson, Jr., of this city. The conduits, if the present plans are carried out, will be suspended from the iron work of the bridge and of the elevated road on Adams Street, Brooklyn.

This scheme reads very well, and could, no doubt, be made to operate; but the cost of maintenance, interest, and attendance would render it a very expensive method of doing the simple work of carrying the mails between the New York and Brooklyn post offices-a distance of a little less than two miles. A tube system is limited to mere transportation between fixed stations. It does not embrace the far more important work of rapid letter collection and quick local de-

What is urgently needed for the improvement of postal facilities in New York, Brooklyn, Chicago, Philadelphia, and all our towns, is not a plan of tubes, but a systematic employment of the street railways. Our cities are ramified in every direction by numerous lines of cars, horse, steam, elevated, and cable, which are in motion day and night. There is, apparently, no reason why they might not be made available at once, as adjuncts of the post office, in the rapid collection and delivery of the mails. The expense would be far less and the operation quicker than is possible by any system of tubes. The Postmaster-General who will inaugurate a comprehensive system for street car mail delivery and collection will confer a lasting benefit upon the public and achieve a most honorable distinction.

In St. Louis a street car mail system has been commenced on a small scale, and works with much success. Now let us have it extended and employed in a thorough manner to all our towns and cities. When this is accomplished the United States will lead the world in respect to internal postal facilities and the people will enjoy therefrom rare advantages. To be able to hand mail matter to traveling postmen and to know that it will have immediate delivery is what everybody requires. The means for doing this stand ready. The Postmaster-General is clothed with the necessary authority. All that is needed to set the work in motion is an act of Congress granting a reasonable appropriaa few months, when the two recently launched tion. The increased postal business would soon bring

### A Large Freight Steamer.

On the 22d of October last Messrs, William Doxford Liverpool. This vessel is not only the largest ever built on the Wear, but is said to be the largest deadweight eargo vessel in the world. She is 465 feet'in length, has a gross register of 6,400 tons, deadweight capacity of 9,250 tons on 25 feet draught, and gross displacement of 18,600 tons.

A MEDICAL CENTENARIAN.-The death of Dr. Enoch Fithian, of Bridgeton, N. J., on November 15, removes the oldest living medical graduate, as he was reported to be, of the University of Pennsylvania, from which institution he received his diploma in medicine in 1815. He was born in May, 1792.

### POSITION OF THE PLANETS IN JANUARY.

MERCURY

is morning star. The swift-footed planet is the first member of the solar family to contribute an incident to the January record. He reaches his greatest western elongation on the first at 3 h. A. M., when he is 22° 17 west of the sun. He is then visible to the naked eye, rising about an hour and three-quarters before the sun and a half hour later than Venus, who serves as a guide to his position. The observer will find him in the southeast. He should commence his quest at 5 o'clock in the morning, commanding a clear view of the horizon. Venus will quickly appear, and, a half hour later, Mercury will follow, being about 7° southeast of his brilliant neighbor. The morning must be exceptionally clear, or the search will be in vain, on account of the planet's great southern declination. A morning view of Mercury and Venus in near vicinity and he is in the constellation Virgo. is worth getting up early to behold. Mercury, after elongation, approaches Venus, both planets oscillating eastward toward the sun.

The moon, one day before her change, is in conjunction with Mercury, on the 16th, at 4 h. 54 m. A. M., being 4° 11' south.

The right ascension of Mercury on the 1st is 17 h. 12 m. His declination is 21° 12' south, his diameter is 6'.4, and he is in the constellation Ophiuchus.

Mercury rises on the 1st at 5 h. 40 m. A. M. On the 31st he rises at 6 h. 45 m. A. M.

#### JUPITER

is evening star. The mighty planet is in quadrature on the 6th, at 3 h. 15 m. A. M. He is then 90° or 6 h. east of the sun, is on the meridian at sunset, and sets at midnight. He has reached the second epoch in his course, counting his opposition as the first. His orbit is so much larger than the earth's that he shows no sensible phases, excepting that, when in quadrature, the limb farthest from the sun is slightly darkened. This is the best time for observing his moons. When Jupiter is exactly in opposition or conjunction, his shadow lies directly behind him, out of our sight, and we cannot observe the eclipses of his satellites, but only their transits across his disk. When he is in quadrature, and before and after this epoch, his shadow is on one side, and the whole phenomena in the revolution of his satellites may be witnessed.

Jupiter is in conjunction with Mars on the 25th, at 10 h. 59 m. P. M., being 1° 56' south. The conjunction is not a close one, but will be interesting to observe, for the planets are near setting when it occurs. Jupiter will be west of Mars on the evening of the 26th, showing that the planets have passed each other on the celes tial road.

The moon, two days before the first quarter, makes a close conjunction with Jupiter on the 23d, at 7 h. 43 m. P. M., being 6' south. Moon and planet will be so close together that there will be an appulse, and they will seem to touch each other. The conjunction is visible, the time is convenient, and the celestial picture when moon and evening star seemingly touch each other will delight lovers of the beautiful in nature. It is to be hoped that the clouds will not conceal the scene from mortal view.

There was a similar appulse of the moon and Jupiter on August 13th, 1892. Two astronomers of Marseilles, France, witnessed the conjunction with the naked eye, between 7 o'clock and 8 o'clock in the morning, the time when the appulse occurred in that locality. Jupiter was seen just touching the northern horn of the moon, the phenomenon being plainly visible in full sunlight. The planet was then near perihelion, near opposition, and was observed in the pure, serene atmosphere of Southern Europe.

The right ascension of Jupiter on the 1st is 1 h. 0 m., his declination is 5° 2' north, his diameter is 39'.6, and he is in the constellation Pisces

Jupiter sets on the 1st at 0 h. 31 m. A. M. On the 81st he sets at 10 h. 47 m. P. M.

is evening star. He is fast fading into insignificance, but plays his part in one of the most interesting events of the month, his conjunction with Jupiter on the 25th, which has already been described. The planets after conjunction are no longer conspicuous companions.

The moon is in conjunction with Mars, two days before the first quarter, on the 23d, at 5 h. 37 m. P. M., being 1° 48' south. The conjunction is visible, as it takes place an hour after sunset, and about two hours Jupiter. Mars, Jupiter, and the moon will be near neighbors on the evening of the 23d.

The right ascension of Mars on the 1st is 0 h. 12 m., his declination is 1° 6' north, his diameter is 8'.2, and he is in the constellation Pisces.

he sets at 11 h. 8 m. P. M.

is morning star. He is in quadrature with the sun, on the 2d, at 9 h. 21 m. A. M., being 50° west of the sun. He then rises at midnight, continuing to rise earlier des Deux Mondes, the complexity of Inaudi's mental engine or ram the drive pipe was stated to be 18 inches; every night, until on the last of the month he appears calculation and his rapidity are alike remarkable. It should have been 8 inches.

Saturn is stationary on the 22d, and commences to retrograde or move westward.

The moon on the day of the last quarter is in conjunction with Saturn on the 9th at 8 h. 23 m. A. M., being 35' south—a distance a little greater than the diameter of the moon. The conjunction is visible for observers who are willing to get up in the small hours to see it. The moon will occult Saturn to observers who are between the limiting parallels of 10° north and 86° south, and who also see her in her geocentric position.

The right ascension of Saturn on the 1st is 12 h. 50 m., his declination is 2° 48' south, his diameter is 16'.4,

Saturn rises on the 1st at 0 h. 9 m. A. M. On the 81st he rises at 10 h. 8 m. P. M.

#### VENUS

is morning star. The invisible chain that binds her to the sun is shortening, and, at the close of the month, she rises only an hour before him and will soon be lost in his light.

The moon, two days before her change, is in conjunction with Venus on the 15th at 2 h. 3 m. P. M., being 4° 47' south. The conjunction is invisible, moon and planet being below the horizon.

The right ascension of Venus on the 1st is 16 h. 48 m. her declination is 21° 1' south, her diameter is 12'.2, and she is in the constellation Scorpio.

Venus rises on the 1st at 5 h. 10 m. A. M. On the 31st she rises at 5 h. 58 m. A. M.

is morning star. He is in quadrature with the sun on the 30th, at 0 h. 57 m. A. M., being 90° west of the sun. He is the third of the giant planets that reach quadrature during the month, Saturn and Jupiter preced-

The moon, two days before the last quarter, is in conjunction with Uranus on the 11th at 11 h. 28 m. A. M., being 1° 1' south. The moon will occult Uranus for observers between the limiting parallels of 25° and 90° south, who see her as she would be seen from the center of the earth.

The right ascension of Uranus on the 1st is 14 h. 30 m., his declination is 14° 21' south, his diameter is 8'.6, and he is in the constellation Libra.

Uranus rises on the 1st at 2 h. 33 m. A. M. On the 31st he rises at 0 h. 38 m. A. M.

#### NEPTUNE

is evening star. His right ascension on the 1st is 4 h. 31 m., his declination is 20° 15' north, his diameter is 2'.6 and he is in the constellation Taurus.

Neptune sets on the 1st at 4 h. 56 m. A. M. On the 81st he sets at 2 h. 56 m. A. M.

Mercury, Venus, Saturn and Uranus are morning stars at the close of the month. Mars, Jupiter and Neptune are evening stars.

#### TWO FULL MOONS IN JANUARY.

The first full moon occurs on the 2d, at 8 h. 41 m. A. M. The second full moon makes its advent on the 31st at 9 h. 11 m. P. M., a little less than three hours before the month closes.

#### A Unique Mathematical Memory.

Jacques Inaudi, called by some "the modern Colburn," is the son of Piedmontese peasants, and he did not learn to read and write until about five years ago, when he was twenty years old. He learned the numbers from his brother by repeating them after him, and after that devised for himself methods of calculation that are peculiar to himself-that is to say, they differ from those in ordinary use. In problems of addition and subtraction he begins with the left hand numbers. This is stated to be the method of the Hindoo arithmeticians as well. The boyhood of this young man was passed in tending sheep, and while he was thus engaged his mind developed a passion for numbers figures they cannot properly be called in this instance, for the processes are auditional, not visual, with Inaudi. Colburn and all prodigies in numerical memory who have been enabled to give any explanation of their mental work have stated that visualization was the basis of memory. Inaudi is rather disturbed than helped by the use of visible representations of the factors of proposed calculations. If this is true, and there is no reason to doubt it, Inaudi stands as the unique mnemonic prodigy of modern times, by reason of the fact that his powers are based upon the auditory faculty. Athough his memory for numbers is prodigious, his memory for words is quite poor. Neither Mars sets on the 1st at 11 h. 25 m. P. M. On the 31st prose nor poetry is well remembered by him, and melody not so well as by most persons. Color, form, time, and place do not fit in with his capacity, and it is simply incomprehensible to him, he says, that chess can be played blindfold.

According to Binet, in his recent paper in the Revue

above the horizon at 10 o'clock, and will be in conven- Nearly all the proposed problems have many figures to ient position for observation. He is nearly as far as add, multiply, or divide and to compare, and yet the possible from Jupiter, being on the 2d 90° west of the time taken to announce the answer is extremely short. sun, while Jupiter is 90° east of the sun on the 6th. In a few seconds he adds numbers requiring ten numerals for their notation, and subtracts those requiring twenty; he rapidly finds the square or cube root of large numbers; if fractional parts of multiples are in question, the interval between question and answer is longer; he finds in a few seconds the sixth and seventh roots of true powers. He appears to do the mental part of ordinary examples in multiplication and division in less time than is required to enunciate their answers. He has been known to carry in memory a number expressed by twenty-two numerals for a week, although he had not been warned that he would be requested to repeat it. He can repeat a number forward or backward or give any section of it, as, for example, in millions or billions. At the end of a seance he can recite all the figures that have been mentioned up to the number of four hundred.

> The head of Inaudi is large and his features are regular and surmounted by a forehead full and high as it is broad. At the Salpetriere a close anthropometric examination was made, under Professor Charcot, that revealed some few unimportant signs of degeneration. Inaudi converses agreeably and is skillful at cards and billiards. His character is marked by modesty and amiability, and his intelligence is that of an untrained. but receptive person. It is quite a mistake to set him down as a mere calculating machine. All inquiry as to hereditary influences has resulted in a negative response. He comes from a family of peasants and was among peasants all his earlier years.-N. Y. Med. Jour.

#### Oxygen in the Purification of Coal Gas.

The main reason for the use of oxygen, says Mr. Harrison Veevers, is that the oxide of iron is revivified in the purifiers, without being exposed to the oxygen of the atmosphere, with its consequent expense of labor in emptying and filling the boxes, and turning over the oxide to get a thorough reoxidation. But, irrespective of this, there was a more serious matter to be considered. Every time a box was opened, there would be a loss of at least 1,000 cubic feet of gas, and, when replaced, an equal quantity of air would either be included or have to be expelled by a similar quantity of gas. In winter, a purifier frequently required changing ten times a week, entailing loss of either 20,000 cubic feet of gas or the inclusion of a quantity of air, which, by diminishing the illuminating power, had to be rectified by the use of a greater quantity of expensive cannel. After mature consideration, I advised the adoption of the system of the Brin Oxygen Company, and the board consented. A brief description of this method of obtaining a separation and imprisonment of oxygen from the atmosphere may not be superfluous. Air is drawn through a small purifier containing freshly burned lime, which desiccates the air, and also removes any carbonic acid gas, and to make assurance still more sure, it then passes through a vessel in which there is caustic soda. Being thus in an almost dry state, the air is forced through steel or iron retorts, set vertically, which contain caustic baryta in a spongy condition and are heated to a faint red heat (about 1850" Fahr.) The baryta, when heated and under pressure, has the property of absorbing the oxygen and rejecting the nitrogen, which escapes by means of a valve. It gives off this oxygen when a vacuum is created. This work of alternately arresting and removing the oxygen is performed in a most admirable manner by an automatic machine, which may be worked by steam or else by a gas engine. This machine can be regulated at will to suit the action of the baryta. The pressure in the retorts is 10 pounds and the vacuum 13 pounds. After being abstracted from the retorts, the oxygen is forced into a small holder on the Gadd & Mason principle, and thence conveyed to a meter regulated by a valve to admit 1 per cent of the quantity of gas made. The holder contains an amount equal to one day's demand, but I should advise one of double that capacity, or even larger. The proportion of oxygen in the holder is about 90 per cent.

The process may claim to have the following advan-

1. Revivifying the oxide saves labor.

2. It also excludes the admission of nitrogen, and in consequence of this, less cannel is required to produce the necessary illuminating power.

Increased value of the spent oxide. ble to get the strength of the spent oxide to 65 per cent without more frequent revivifying in the air, at a greater expenditure in labor than the value of the extra 15 per cent of the sulphur.


4. As the oxide abstracts more sulphur, less oxide is required annually.

5. Greater uniformity in the illuminating power of the gas, particularly in small or medium sized works.

In our recent paragraph relating to Rife's hydraulic

#### AN IMPROVED CHANGE MAKER.

amount of coin change is shown in the illustration, and has been patented by Messrs, George M. Hill the usual exhaust pipe, and in the periphery of the and Fred P. Alter, of Centralia, Wis. In the upper disk are held expansion packing rings pressing against portion of the casing, which has an inclosing cover, the inner surface of an annular flange of the valve. As




HILL AND ALTER'S CHANGE MAKER AND RECEIVER.

are six tubes adapted to receive the various coinsdollars, fifty-cent pieces, twenty-five-cent pieces, tencent pieces, nickels and cents. Each tube has a slot in front, that the coins may be seen, and all the tubes connect at their lower ends with a chute leading to a change table. By means of a push bar or slide, connected at its rear end with the long arm of a bell crank lever, as shown in the sectional view, Fig. 1, the lowermost coin in each tube may be released as desired, upon pressing a key which acts upon the free end of the bell crank lever, the coin then dropping into the saucer-like holder shown. The several keys are marked to indicate the coins in the respective tubes, and a spring holds each of the bell crank levers in such position that the push bar is normally retained out of engagement with the coin. Additional keys are provided, each having at its lower end a bar, by which several levers may be actuated at the same time by a single key, to make collectively a desired amount of change. In order to fill the coin tubes, a receiver is provided in the lower part of the casing, in which is a set of receiving tubes, shown in section and plan views in Figs. 2 and 3. In a circular hollow offset near the lower end of each tube is pivoted a pair of tongs, the handle ends of which are pressed apart by a spring, the inner ends extending into the tube to support a coin dropped upon them. The several tubes are of sizes corresponding with the coins to be received, and when one of the upper tubes is empty it is supplied by removing the filling tube and placing it in the upper tube, when, by pressing upon the handle ends of the tongs, the coins pass out of one tube into the other.

#### AW IMPROVED BALANCED SLIDE VALVE

In the upper portion of the valve shown in the illustration is a central vertically movable disk, supported by springs, and provided with an exhaust steam The improvement has been patented by Messra. John Parker and Fred E. Clark. In the underside of the valve is a recess communicating at its ends



PARKER AND CLARE'S SLIDE VALVE.

with the interior of the steam chest, so that live steam

A device to facilitate the making of any desired The opening in the disk registers at all times with an opening in the cover of the steam chest connected with

the area of the valve portions seated on the top of the cylinder, and operating over the ports, about equals the area of the top surface of the balance disk, the valve is completely balanced. This valve requires about one-third leas travel than the ordinary slide

Further information relative to this improvement may be obtained of Mr. John Parker, Sturgeon Falls, Ontario, Canada.

#### Generation of Electric Power in the Coal Fields.

At a recent meeting of the Manches ter Association of Engineers, a very interesting paper by Mr. B. H. Thwaite, C.E., of Liverpool and London, was read on the "Economic Possibilities of the Generation of Electro-motive Force in the Coal Fields, and its Application to Industrial Centers." Thwaite brought before the meeting three projects of electrical transmis sion of energy generated in the coal

fields. The first for supplying the Lancashire centers of industry, and the area adjoining the ship canal; the second for supplying the Yorkshire centers of industry; and the third for supplying the centers of industry in the Midlands and the metropolis.

For generating power for driving electric generating

small powers, and a motor of 500 horse power was the largest that should be used for this character of work. The efficiency of dynamos or electric generating machines was so nearly perfect that there was only questionable advantage in building excessively large types, but the motive power and elements should be such that if one or two parts went wrong it would not involve the stoppage of the entire motive power plant; besides, it should be possible to reduce or increase the power of dynamic energy production in proportion to the demand, and with large steam engines of 1,000 horse power and upward this would not be practicable. There was another and important advantage in relatively smaller gas engines. The pulsations of piston effort could be so arranged that their effect on the supply would be inappreciable. In the arrangements of the plant for the projected coal field gen-

were intended to be used, a pair of these engines being allotted to each alternating current machine, coupled direct, one driving the armature in one direction and the other the field magnets in a contrary direction.

Mr. Thwaite said that ten years ago he had forecasted that when once the Manchester ship canal was made, its banks would become the future area of new industrial developments, and with a line of power supply, a perfect railway connection, and a means of overea transmission, it could be stated that no other area in the world would offer such facilities for cheap industrial production as this area would be with the supply of cheap electricity and unlimited energy proposed. To realize the marvelous industrial fecundity of Lancashire and Yorkshire, they had only to glance at the lines of the telephonic system already established and the proposed lines of electric power transmission. There they had the very acme of economy in transmitting thoughts; let them go a step further, and imitate nature by laying down a nervous industrial system to distribute power, and the picture, with the ship

The chairman, after noting the rapid development made during recent years in the application of electricity, said they could scarcely brand as impossible even the most visionary scheme that might be brought before them in that direction. With regard to the central supply sources suggested by Mr. Thwaite, he thought, however, there were some disadvantages which must not be overlooked. Assuming that there were a thousand sources of engine power, if one source failed, then only one out of a thousand failed; but if can pass to the underside of the valve. The two ex- there were a thousand motors drawing on one central cost will be one hundred and fifty millions of dollars. haust ports terminate in a common port with an source and that central source became stopped, then This is a grand project, and would be of immense beneelliptical opening in the middle of a balance piston they had a thousand firms stopped simultaneously, fit to the great West. It would make ports of entry for disk in the top of the valve, the disk being pressed and it struck him that the seven millions of horse

tom of the valve, thus forming a steam-tight joint. and boilers would not be replaced by the new force as


Mr. Brown said, in many establishments where they had replaced their engines by electric motors an immense saving had taken place, and he believed that it was not far from the actual fact to say that, taking an ordinary machine works, where several engines were required, at least 50 per cent of the power would be saved by a central generating station supplying electricity to motors in the various portions of the works, although, of course, the cost of such an installation would be pretty heavy. As to the hygrometric economy of the electric light, there was no question of its being far superior to any other form of light there

Mr. Saxon said that one of those questions which they, as practicing engineers, had to face with regard to Mr. Thwaite's suggestions was whether they would have as steady running in their textile factories by driving with electric motors-either of sufficient power to drive the whole of the machinery or perhaps separate motors for each room or story—as with the large engines now in use. His own opinion was that they would not. He thoroughly agreed with the author as to the advantage which would be gained in comparison with small engines. With regard to the cost of the installation, he thought that, what with the excavating, laying special pipes, copper castings, conductors, etc., the author of the paper had underestimated it very much indeed.

Mr. Beastow agreed with Mr. Thwaite that the steam engine in a few more years, especially for small powers, would become obsolete.

### AN IMPROVED FURNACE.

A furnace patented by Mr. James S. Ecker, and designed to utilize the fuel to the fullest advantage, is shown in the accompanying illustration. The top of machines they would require high efficiencies with the bridge wall slants upwardly and rearwardly, and is



ECKER AND LAIDLAW'S COMBUSTION ARCH FOR FURNACES.

eration stations, gas motors of 300 brake horse power curved to correspond with the curved top surface of an inverted arch, concentric with the boiler, and forming a segmental space constituting a combustion and radiation chamber just beneath the boiler and extending back to the rear wall. In the rear of the bridge wall, at its base, is an air chamber extending to the rear brickwork and from one side wall to the other, the top of the chamber being arched, and this chamber is connected by numerous openings or ports with the combustion chamber above, formed by the inverted arch immediately under the boiler. Longitudinal ports from the front end of the air chamber lead to a transverse channel in the bridge wall, the latter channel connecting with channels in the side walls of the brickwork which open at their front ends to the air. Suitable doors in the rear of the brickwork give ready access to the air chamber and the combustion chamber to facilitate cleaning when desired. The large body of brickwork forming the arched top of the air chamber and the inverted arch radiating surface beneath the boiler has considerable storage capacity for heat, and in its construction allowance is made canal complete, was perfect, and would be worthy of for contraction and expansion. The additional supthe enterprise of the counties of the Red and the White ply of air through the ports leading upward from the air chamber is designed to effect a perfect combustion of all smoke and gases.

Further information relative to this improved furnace may be obtained of Messrs. Ecker & Laidlaw, Portland, Oregon.

### Ship Canal from the Lakes to the Hudson River.

A bill has been introduced in Congress for the enlargement of the Erie canal, with a view to its conversion into a waterway large enough to admit vessels of considerable size. It is to be 20 feet deep. The foreign commerce at all the different harbors along the upward by springs coiled on rods secured in the bot- power they now had in the country in steam engines lakes, extending westward 1,100 miles beyond Buffalo.

THE BIDEL MENAGERIE.

Mr. Alexandre, a skillful operator of Brussels, has taken a series of photographs representing the animals that compose the celebrated menagerie of Bidel, the tamer, who has recently obtained the greatest success at the representations given by him at the capital of Belgium. Mr. Alexandre has sent us the photographs that he has taken, and the specimens given here will show our readers that they are worthy of being reproduced.

In Fig. 1 we have Bengali, a royal tiger, the finest in the menagerie. He was captured in 1880, in Cochin China, where the species is quite widely distributed, without, how-

trap in 1876. When he reached Lyons he was the cause pard, native of Asia, captured in 1889; a Persian of a terrible accident, an account of which we repro- leopard; three superb lions, recently captured at the 1886, at the Neuilly fair, a lion lacerated all of one side duce from the Salut Pub-

A sad accident, caused by the inconceivable imprudence of the person who was the victim of it, occurred at the Vaise Station, at Lyons. On the first of September, 1876, Mr. Bidel, proprietor of the great menagerie installed upon the Perrache, received from Africa a magnificent lion, which had been very recently captured in the deserts of Central Af-This animal, conrica. fined in a strong barred cage, had been placed in a special car, with the following inscription: "Ferocious animal; lion; one is forbidden to open.'

A drover of beeves named Vicard, in the absence of the conductor, opened the car, switched off into one of the annexes of Vaise Station, and held out a piece of bread to the lion. Naturally, the animal, being carnivorous, did not care for it, and only exhibited the appearance of being

in order to pat the lion's head. The animal uttered a wolves, monkeys, etc. roar and seized the arm of the imprudent fellow with his mouth and paws. In a minute Vicard's arm was velop a taste for the natural sciences, and zoology es. the Newport torpedo station have produced some very

crushed by the powerful jaws of the beast, from the wrist to the shoulder. The men of the gang, running forward armed with iron bars and wooden stakes, were unable to make the furious animal let go his hold, and he kept half of the arm of the unfortunate man between his jaws. Vicard died in consequence of his injuries.

On the day following the accident Mr. Bidel gave a representation for the benefit of the widow and her child, and worked the terrible beast, which continues to have an ever increasing success.

Fig. 3, from a beautiful instantaneous photograph, represents Bidel, the tamer, entering the cage of another lion, Pacha, a magnificent specimen of the leonine race of the Atlas, captured in 1887.

The Bidel Menagerie, which exhibited at Brussels, and a few days after-




Fig. 1.—BENGALI, A ROYAL TIGER OF THE BIDEL MENAGERIE

ever, being as common as in Bengal. In Fig. 2 we ward at Lille, comprises also the following animals: ment. Despite such courage and boldness, he has, have Sultan, a black maned lion of the Atlas mountains, Nero, a superb lion from the Cape of Good Hope, cap-nevertheless, been wounded by his animals, and some-Africa. He was born in 1872, and was captured in a tured in 1871; three panthers from the Indies; a gue- times quite severely.

Mr. Bidel's entire existence is devoted to the collection of rare animals and the exhibition of them at fairs in most of the cities of

pecially, among the nume-

rous people who visit it.

France, Italy, and Spain. The celebrated tamer avers that he has no special process for training ferocious animals. "It simply requires," says he, "great energy and much will and courage."

Bidel has, without any preliminary preparation, several times entered cages containing tigers, the most formidable of ferocious animals. He unhesitatingly presents himself to them, a whip in hand, looks at them fixedly, and does not fear to strike them if they make a threatening move-

Everybody remembers that in the month of July,

of his throat. The celebrated artist Edward Detaille was among the spectators of this dramatic scene, and made a sketch of it.

Some years ago, Pezon, a well known rival of Bidel, came near being devoured by one of his bears at a fair at Chalonssur-Marne.

One has sometimes narrated the story of the tamer who, having discharged his valet, took a willing man, whom he put in charge of the cage cleaning. The next day, our tamer was much surprised to see his new servant in the lion's cage, quietly sweeping the floor with big licks of the broom between the animal's paws. The anecdote is more amusing than veracious.

The keepers of the wild animals in the menageries of our museums never enter the lions' cages, even khen these animals have for a long time been accustomed to



Fig. 2.-SULTAN, A BLACK MANED LION OF THE ATLAS.

disturbed. Emboldened by this apparent somnolence, | Cape of Good Hope; three royal Bengal tigers; two | their prison life.—La Nature. our man passed his arm through the bars of the cage, white polar bears; a black Russian bear; and hyenas,

This exhibition is very remarkable, and tends to de

Smokeless Powder.

The improvements effected in smokeless powder at

gratifying results, and have shown that our new M N product, as it is called, is believed by our naval ordnance authorities to be better than the French B N or any other powder. A quantity of M N smokeless powder placed in an iron vessel, wrapped in felting, and exposed to 208° F. for six hours, was absoluteunaffected, while another quantity stood 212° F. for twenty hours before showing signs of change. Smokeless powder stored for six months at Indian Head during the past summer, which was unusually hot, showed in subsequent firings that its ballistic properties were unchanged. On the other hand, a sample of this powder, put in a freezing mixture at 5° below zero F., was unaffected. The safety of this powder has also been shown by experiments. Attempts to explode it by the service detonator of mercury fulminate have failed.



Fig. 3.-BIDEL IN THE CAGE OF ONE OF HIS LIONS.

#### Gold and Silver from the Sea-A Proposed Method for Coating Ships' Bottoms,

The method of J. Bridges-Lee, London, consists in first sheathing the vessel with copper by any ordinary accepted means, thereafter joining up the copper sheathing to the negative pole of a galvanic battery or direct current dynamo electric machine, and in amalgamating the whole external surface of the copper with mercury. The positive pole of the battery or dynamo must make earth away from the vessel. Some of the chief benefits resulting from the employment of this method will be:

1. That the exposed surfaces of the sheathing can be kept exceptionally smooth, bright and clean. The mercury will hold well to the surface of the copper and fill in any scratches or other minor irregularities, and the electric current will effectually prevent oxidation. The passage of the electric current will assist in maintaining uniform adhesion of the mercury to the cop-

2. The surface will be of such a character as not to afford good hold for barnacles and other marine organie bodies which commonly attach themselves to

ships' bottoms and cause fouling.

3. Skin resistance will be much reduced, not only on account of the smoothness of the metallic surface, but also because of the development under the influence of the electric current of films of gas upon the exposed surface. If the electric energy is sufficient to cause the escape of streams of tiny bubbles all over the surface, the layers of water charged with those streams of tiny bubbles in close contact to the vessel's skin will oppose less resistance than ordinary water free from

4. Under the influence of the electric currents, passing traces of the precious metals (gold and silver) will be precipitated from oceanic and other waters upon the sheathing, and will be there held by the mercury as amalgam. From the surface scrapings, after a vessel so sheathed and fitted has been some time affoat, the precious metals can be recovered by ordinary chemical

5. The gain from diminished skin resistance will much more than compensate for the cost of maintaining the electric circuit and for supplying the requisite quantities of mercury from time to time.

6. The quantities of gold and silver which may be recovered from the waters of seas, rivers, or lakes will often more than compensate for the loss of mercury, and will nearly always constitute an important item on the credit side.

In applying this method of sheathing, the ordinary rule should be followed of using the thickest copper sheeting toward the bows and thinner sheeting behind, and it will ordinarily be found best to make earth with the positive pole in advance of the ship. A result of this arrangement will be that there will be greatest electrical action over those parts of the sheath at the bow and over the areas just behind the bow and least action toward the stern, so that while gas bubbles are freely escaping from the foremost surfaces the hinder surfaces may experience only sufficient electrical action to keep them bright and clean. There will be some economy about this arrangement, and if the positive pole makes earth in front of the bow of the ship through a metallic plate of difficultly oxidizable or non-oxidizable metal held in a vertical plane by rigid attachments projecting from the bows, the frictional resistance which it will cause need not be very serious, especially as that pole will also develop streams of gas bubbles. Of course the plane of the plate which constitutes the positive pole should be such that if extended backward it would bisect the ship and the supports should be sufficiently firm to hold it continually in that plane. The electrical connections with the galvanic battery or dynamo should be thick copper wires. The wires from the negative pole may ramify to various parts of the sheathing as may be found most convenient, and suitable switches may be provided to control the distribution. Also the positive pole may, if desired, make earth at other places besides in front of the bow, through wires or plates dipping into the water at some distance from the walls of the ship.

#### A Gratuitous Number.

The day of publication falling one day earlier each calendar year has gradually antedated the issue of the SCIENTIFIC AMERICAN and SCIENTIFIC AMERICAN of the coming volume would naturally issue on Saturday, December 31.

To avoid the beginning of the new volume before the commencement of the new year, we have decided to give our mail subscribers the benefit of an extra number.

with No. 896, which would give the subscriber fifty-two pencils. Attached to the holder is a spring clamp, one numbers for the year, we shall, at considerable cost, mail to him a fifty-third number. We hope our mail subscribers will recognize our liberality in presenting ficient to maintain the holder in position on the outthem with an extra paper, and favor us with a prompt side of the garment. If desired, a strip of blotting parenewal of their subscription.

#### IMPROVED PACKING AND GASKETS.

The sectional ring, expansion ring and coil packing shown in the accompanying illustration are severally made according to a patent process designed to afford a perfect lubricator, and so that the expansion will be horizontal, relieving the rod of all pressure. It is said to be extremely durable, not burning or getting hard in the box. The manhole gaskets of the same makers are said to form especially durable steam and water



DELANEY'S COIL AND RING PACKING AND GASKETS.

tight joints, being made to stand a pressure of 300 pounds. These goods are manufactured by Messrs. H. J. Delaney & Co., Milwaukee, Wis.

#### Spontaneous Combustion of Arsenic.

Recently powdered metallic arsenic which, in the process of powdering, had been moistened with water to prevent dusting, is recorded by E. Hirschsohn as capable of spontaneous combustion. A quantity of powdered arsenic in a double paper bag had been received late in the evening, and set aside overnight in a basket containing other articles packed in straw and sawdust. The next morning, upon opening the store, the peculiar garlic-like odor attracted attention to the basket containing the powdered arsenic. An examination disclosed that the arsenic had agglutinated to a solid, glowing mass; that the paper containers had been charred, and that a portion of the straw was seorched; a number of bottles in the basket had also burst, owing to the high heat, and upon the charred paper bag were sublimed some beautiful crystals of arsenious oxide.  $\Lambda$ fire, which probably would have been attributed to some other cause, was in this case averted.—Pharm. Ztschr. f. Russl., 1892, 612; Am. Jour. Pharm.

#### A PEN RACK ON THE SLEEVE OR CUFF.

A convenient attachment for the sleeve or cuff of a coat or other garment, designed to hold a pen or pencil within easy reach, is shown in the accompanying illustration, and has been patented by Mr. Isaac W. Housser, of Winnipeg, Canada. It consists of a framepiece composed of an upper and lower plate, carrying



HOUSSER'S PEN BACK.

between them the lower portions of a spring wire coil, Instead, therefore, of stopping the SCIENTIFIC the individual coils of which are sufficiently spread to AMERICAN with issue No. 26, and the SUPPLEMENT receive and hold between them one or more pens or member of which presses against the inner side of the sleeve or cuff, gripping it with a spring pressure sufper may be held between the cuff and holder.

Rain Making by Means of Smoke Railcons

The experiments on rain making now being conducted under the direction of General Dyrenforth in Texas recall the unsatisfactory tests of a year ago, Since presenting an article on the subject which appeared in Science, November 27, 1891, some few experiments have been made by the writer in preparation of an outdoor test. The lack of funds necessary for these (though the amount required is not large) has prevented the undertaking of experiments to the present time.

While the government has furnished General Dyrenforth with facilities, in general, equally applicable to methods now proposed, and as practical failure seems attendant upon his results, it would seem not unwise to test the theory advanced in the article above referred to. The gist of the theory is that dust particles in the upper strata of the air, under suitable meteorological conditions, may form nuclei where condensation may occur, and a rainfall be induced. So far as laboratory experiments go, as mentioned in that article, the presence of dust particles seems necessary for the condensation of moisture. Among other experiments mentioned, the following may be taken as interesting and suggestive. A jet of saturated steam was admitted into a large glass receiver, and the condensation of the steam showed a cloud filling the receiver. The air was then pumped out and filtered through cotton wool before being readmitted. In this dust-free air of the receiver the jet of steam was again admitted, but no trace of condensation could be seen. With repetitions of the experiments the results were the same. The conclusion seemed established, in the laboratory at least, that dust particles were necessary for condensation

Similar conclusions are arrived at by Professor John Aitken, of Scotland, although I am not aware that he proposed any use of dust particles for the artificial production of rain. After performing these experiments in my laboratory, I was naturally anxious to try them on a larger scale in Nature's laboratory.

The objections that have been raised since the article appeared, that dust and smoke are frequently abundant in our atmosphere, especially over large cities, without the production of rain, does not necessarily prove that, should dust or smoke be let into the upper air layers, precipitation might not be caused. Further, the optical effects from dust and smoke seem to indicate that it is continually settling, and does not reach to any great height in the atmosphere above the earth. The experiments made since the above article was written were directed toward finding the substances most suitable for producing a dense and long-continuing smoke. Substances which give the densest smoke burn too rapidly. I tried various ways of increasing the duration of their burning without impairing their smoke-giving qualities. By mixing turpentine with saw-dust or with straw paper pulp, and then subjecting the mass to hydraulic pressure, the time of burning of a quarter of an ounce was increased from about one minute to twenty minutes, while the smoke given out was very dense. Balls made in this way, and two inches in diameter, would easily continue smoking over three-quarters of an

From these preliminary tests, the plan proposed was as follows: To raise, at intervals of about one-half mile across country, a number of captive balloons, each capable of lifting about thirty pounds, and each containing approximately 1,000 cubic feet of gas. Suspended from each of these balloons by a light iron wire should be one of these slow-burning smoke balls weighing about 30 pounds, which could be lighted on the ground and raised by the captive balloon to about one-half mile into the upper air strata. The time for experiment must be determined by meteorological conditions. As the balls were consumed the balloons could be drawn down, new balls attached, and the balloons allowed to rise, and in this way over a considerable extent of country considerable smoke could be gradually turned into the upper layers of the air.

The chief expense in such an experiment would be for the balloons, which would cost in the neighborhood of \$100 each. No expensive explosives are neces sary, and as the Texas experimentalists seem provided with balloons, the experiments could be conducted there without appreciable expense to the government.

It was proposed by the writer to make a series tests in the State of Kansas, but the comparatively small sum of money necessary is not available, nor will other work at present allow.

The reiteration of this dust theory for the artificial production of rain is given in the hope that it may suggest to others its desirability and a method of experimentation. A theory which has at least a laboratory verification is certainly worthy of test on a larger scale, and the expense of such testing is certainly not prohibitive. It need not be mentioned that such experiments should be accompanied by meteorological observations, and from these a place and time wisely determined. LUCIEN I. BLAKE.

Physical Laboratory, University of Kansas.

### IMPROVEMENTS AT THE HARLEM RIVER BRIDGE.

There are three railroad bridges across the Harlem River, the estuary connecting the water of Long Island Sound with the Hudson River. The principal one of these bridges, situated in the line of Fourth Avenue, is used by the New York Central, the Harlem, and the New Haven Railroads for their passenger traffic principally. An immense number of trains pass over it daily, so much so that it has become insufficient for its uses. It included always a center swinging draw. This draw was struck so often by passing boats that apprehensions were entertained as to its working perfectly. Accordingly, to preserve the integrity of the river navigation, and also of the railroad transit, an auxiliary draw was erected adjoining the swinging draw. This second one, from the designs of Mr. G. H. Thompson, of the New York Central road, was of the lifting type. In the upper cut, this draw is seen in position nearest the front of the picture, while immediately back of it is the old swinging draw. The floor of the new drawbridge was carried on the top of plate girders, which were free to swing up or down on horizontal pivot or hinge joints immediately adjoining the front of the tower. To open the draw, it was simply pulled upward, rising into a vertical position. To effect this operation, cable hoisting machinery was provided, and to give scope to its operation, the tower, shown in the cut, was erected.

The tower is an iron lattice work structure, 126 feet high, with a base 34 feet 6 inches wide and 48 feet 6 inches long. Its front pillars are vertical, and within them counter weights were provided to relieve the hoisting machinery of most of the strain of lifting the draw. It will be seen that in raising the bridge from a horizontal position, less and less power is required. Accordingly, the system was so arranged that as the bridge rose, counterweights were successively detached. thus compensating for the decreased moment of the structure. The bridge has now to be removed and replaced by another structure. Independent of the requirements of present traffic on the Harlem River, it is obvious that when the improvements now under way shall have been completed by the Federal government, it will become a waterway of considerable importance to the city. The bridge also is of increasing importance with regard to the railroad traffic, and the opening of its draw, even now, has had to be restricted, owing to the number of trains which have to pass it. A new bridge is to be built, elevated nearly 30 feet above the water, so that the majority of boats can go under it without the draw being opened. In and the power of the furnace to effectively consume accordance with the requirements of the Federal government, the new draw in the new bridge will have to give a minimum opening of 100 feet at right angles to the axis of the stream. As the bridge runs at an angle with this axis, the full opening of the draw will exceed 165 feet on each side of the center pier. The drawbridge truss which will swing in its center therefore will be about 400 feet long, and will carry four lines of tracks. The bridge will be the continuation of the elevation of the tracks in Fourth Avenue—a colossal work soon to be begun.

To enable the new bridge to be constructed, a temporary bridge is to be built at one side of it, which is shown in the upper cut. When this bridge is finished, trains will use it, and the old structure will be demolished and replaced by the elevated bridge just mentioned. The temporary bridge, however, must have a draw, and the Federal engineers exacted a minimum width, requiring trusses 106 feet long. The old trusses of the lifting draw spanned but a little more than 90 feet. To provide the new draw for the temporary bridge, it was determined first to move the tower bodily into position in line with the temporary bridge, and to use it to raise and lower the lattice girder draw, 106 feet in span. The line of travel of the tower having been decided on, rows of piles were driven; caps were placed on them, and on these 12 by 12 longitudinal timbers were placed. Rails were then spiked down on the timbers so as to form a horizontal sliding way. The tower was jacked up bodily 3 feet after being stripped of counter weights and other were lubricated with Dixon's plumbago lubricator can fire so as to make very little smoke. and the tower was lowered upon them. A six-spool The most approved method of firing is When everything was ready, the final operation of ing the time there was no smoke to burn; and if the the ground.

motion of his hand to indicate one revolution of the first slowly, and then more rapidly, and in 21 minutes the great mass was moved 54 feet. The railroad company replaced the tracks, and by 3:20 A. M. all was ready for traffic once more. There was absolutely no interruption to traffic. The tower is to be moved along on its present course until the line of the new temporary bridge is reached, when it is to be moved forward in position. When installed here, the lattice girders will be put in position. As this will then be the only drawbridge, hoisting machinery of double the power of the original will be put in, so as to insure rapid ope-

The work of moving the tower was done by the firm constructors. All the operations were in charge of their foreman, Mr. Maylan, and the entire work was successful in every sense of the word.

#### On Smoke Prevention.

Professor William Ripper, of Sheffield, recently delivered, in connection with the Sheffield Technical School, a lecture on the important subject of "Smoke Prevention Appliances." At the outset, the professor said that although it might be impossible in some branches of manufacture without considerable difficulty to prevent smoke, it was now generally admitted that so far as steam boiler chimneys were concerned smoke may be almost entirely abolished. Notwithstanding between two and three thousand patents have been taken out for smoke prevention appliances, smoke is still with us, not because of lack of inventors or good come. The machine stoker has not yet been found inventions, but because it is cheaper and less troublesome to make smoke than to prevent it. If it had been shown to be cheaper to burn smoke, there would have been no need for acts of Parliament to prevent it. Smoke is the result of incomplete combustion. The conditions necessary for complete combustion are sufficient air, its intimate mixture with the gases to be burnt, and high temperature. A common oil lamp these stokers, where adopted, have been taken out smokes, but when a chimney is fitted to it, it burns brighter and the smoke disappears. This is precisely the effect of a funnel or chimney on a boiler furnace; fuel depends upon the draught. Insufficient draught to burn the quantity of combustible gases proceeding from the fuel must result in smoke. High temperature -at least 1,000° F.-is necessary for ignition of the gases; the presence of a relatively cold water jacket round the furnace is not conducive to complete combustion.

The smoke trouble is largely due to want of appreciation of the importance of the boiler. No care or expense is considered too great to save 5 per cent with the engine, but while engineers were racking their brains to make a small saving with the engine they often lost sight of the fact that two or three times the economy might be obtained by turning their attention to the boiler. Every engineer who knows his business recognizes that the boiler is as important a machine as the engine, and requires just as much skill and intelligence to properly manage it. The phenomenal 1'3 pound of coal per indicated horse power per hour says a good deal for the boiler engineering on steamships, and for itself. where such results are obtained the shovel has probably more to do with it than the valve gear. A fireman's life-especially a marine fireman's-is certainly not a happy one, but it is none the less certain that the skill and intelligence with which he does his share of the work have a good deal to do with the efficiency and economy of the engineering department.

Professor Ripper mentioned the fact that the medical officer of health for Sheffield had told him that the cases of smoke nuisance are more often due to want of dan gum. care than to want of appliances, and this, the professor material so as to make it as light as possible. It is said, he could confirm from personal observation. It calculated that 100 tons weight were thus removed, of has been said a good stoker is the best smoke burner, which 85 tons were represented by the counter weights and (said the lecturer) there is much truth in this, Even when this was done, the residual weight though he did not like to press it, as it might be conwas in the neighborhood of 180 tons. When the tower sidered a reflection on the stokers of our smoky towns. was thus elevated, slideways in continuation of those Hand firing is still the common method of firing boillaid on the outside were placed under it. The rails ers, and where a boiler is not overpressed, a good stoker

hoisting engine with falls of very large size, with great and often, and on each side of the furnace alternately, sheave blocks, being 18 inches in diameter, was ar- so that the gases from the green coal on one side may ranged to draw the tower away from the bridge along be burnt by the bright fire on the other side. In adthe line of the slide. Some apprehension was felt as dition the grid on the fire door might be open, and air to the success of the operation, but it was found that admitted at the back of the bridge. Admitting air at the tower might be moved a distance of 8 feet the back of the bridge is a common method in some without interfering with traffic, so it was decided places, and it certainly consumes the smoke. But such that here, at least, was room for experiment. an arrangement should be fitted with a door for regu-Accordingly, before the final operation, the tower lating the supply of air, otherwise, although the smoke was moved back and forth to distances of a might be burnt, a large amount of heat might be few feet to test the practicability of the operation. wasted by the passing of cold air through the flues dur- high, and nearly 54 feet in circumference six feet from

moving, illustrated in the lower cut, was executed. It chimney temperature was say 500° F., then each pound was done at night, in order to avoid interruption to of air not required for combustion was carrying with it traffic. At 12:30 A. M., the tracks were cut by the rail- about 105 units of heat to waste. In some devices for road company, and the way was cleared for the tower at least half the day cold air was going through to no to be drawn out from its position. The foreman in purpose, and seriously affecting the efficiency of the charge of the work, as a signal code, arranged at one | boiler. Some boilers are fitted with automatic arrangements for opening the air supply to back of bridge or engine. When all was clear, the engine was started, in fire door when it is opened, and with a regulator for allowing of the gradual closing of the air supply. These automatic fittings are an improvement, but they are not perfect, as they have to be set to suit the average needs of the furnace, in which case, after firing or raking, they are sometimes open too long and sometimes not long enough to burn all the smoke.

Now, the object of the air is to burn the fuel, and the best place to burn it is in the furnace, where it should pass either through or over the fuel. Air admitted at the bridge spoils the draught through the fire bars. The cold air takes the line of least resistance to the chimney, and will not go through the fuel if it can find a short cut through the bridge. Air through the fire of Coffrode & Saylor, of this city, who were its original door and steam jet air injectors cure smoke. A great advance upon our present methods would be the admission of hot air in the front of the furnace to pass over the fire, the air being first heated by the waste gases. This is now being done with much success by Messrs. John Brown & Co., Limited, with marine boilers and induced draught; and for stationary work there is certainly a future for hot air supply to the furnace.

> As a natural result of the endeavor to increase the economy of the boiler as well as of the engine, many devices have been proposed to feed the furnace by mechanical means, and so obviate the necessity for the frequenting opening of the fire door and the consequent admission of large volumes of cold air. There have been many mechanical difficulties in the way of their introduction, but these difficulties are now largely overpracticable with marine engines, but for stationary work it is undoubtedly finding considerable favor. The advantages claimed for the mechanical stoker are: More water can be evaporated per pound of coal, the cheapest kinds of fuel can be used, more steam can be produced per hour, and there is little or no smoke when the stoker is not driven too hard. In some instances again, and a return made to hand firing; but this fact should not condemn the mechanical stoker without further knowledge of the circumstances. Strong evidence can be brought to show that in many districts throughout the country these stokers are giving great satisfaction, and it may be taken for granted that where they receive as much ordinary care and attention as is needed by any other machine, and where they are not hard pressed, they will do good work-burn the smoke and soon pay for themselves.

> If a manufacturer requires more steam, and it is a choice between having another boiler or a mechanical stoker to the existing boilers, he should choose the additional boiler. In some instances the manufacturers have chosen the stoker, overworked it, been disappointed at the results, and discarded it.

> To sum up, Professor Ripper maintains that smoke can be prevented by care in firing, assisted by automatic devices for admitting air at the door and bridge. But such a method is not perfectly satisfactory in point of economy. A mechanical stoker, especially a stoker receiving ordinary attention, and not overpressed, will burn the smoke, consume cheaper fuel, and pay

#### Gum Arabic,

About a year ago it was noticed that the extensive falsification to which gum arabic was being subjected, owing to the disturbances in inner Africa, had made good gum rare and expensive. In consequence of this scarcity other substances are introduced from Australia, South America, etc., as substitutes for gum arabic, but none of them is equal to the genuine Sou-

A. Jacksch, in a paper on this subject, states that inferior materials mixed with gum Gheziri are coming into Germany in large quantities, and being sold as "gum in granulo," and that many of the best firms have been deceived.

It is impossible to recognize this imposition by simply dissolving the substance, for the gelatinous particles, being very fine, are suspended in solution and an fire so as to make very little smoke.

The most approved method of firing is to fire lightly detected as follows:

Some of the suspected sample is mixed with ten times its weight of hot water, and then allowed to stand for three or four hours, stirring the mixture occasionally. The insoluble matter will settle down, and then about half of the liquid should be poured off, and the same quantity of cold water added to make up the original bulk, which is then stirred and again set to stand, and this repeated twice.

A RED fir tree in Chehalis County, Wash., is 400 feet

#### THE NEW ARMY MAGAZINE RIFLE.

The Springfield rifle, which has been the standard arm of our soldiers for many years, and is undoubtedly one of the best old style single fire pieces ever used in any army, is at last to be superseded by a modern magazine rifle, the details of which have been definitely decided upon. Ever since the conclusion of our war, in 1865, all the European governments have been been placed in the hands of their soldiers. The needle S. E. Blunt, Ord. Dept.; Capt. Geo. S. Anderson, ejector, e, f, is placed in a cut in the bottom of the re-

as far as the guns submitted for examination are concerned, to be thoroughly exhaustive, and in which nothing has been neglected that the experience of foreign governments could suggest.

The Board on Magazine Arms, by whom this service has been performed, was constituted by an army order of December 24, 1890, and its report was submitted August 19, 1802, being signed by Lieut.-Col. Robert H. expending large sums of money in experimenting upon Hall, Sixth Infantry; Lieut.-Col. J. P. Farley, Ord.

ish gun in the absence of a half-cock notch on the cocking piece and the introduction of a safety lock similar to that on the German and several small arms. The lock is operated by a thumb-piece, b, which causes the spindle to turn down into a notch, a, in the body of the bolt, locking the firing pin when in the firing position and preventing the opening of the bolt. The form of the thumb of the firing pin and cocking piece is slightly altered. A spiral spring, and constantly changing the infantry arm which has Dept.; Maj. H. B. Freeman, Sixteenth Infantry; Capt. d, is substituted for an original flat sear spring. An



a form of the Mauser, and Great Britain, after most the officers the class of fire being delivered. The bolt swinging out to the right, as in the Danish gun.

gun of Prussia aided largely in deciding the conflict of Sixth Cavalry. Fifty-three guns in all were subjected | ceiver, a channel in the lower side of the bolt extendthat country with Austria, in 1866, in favor of the for- to trial, including those submitted by American and ing nearly to the bolthead, and permitting it to pass mer, and its superiority over the French chassepot in foreign inventors, and the officially adopted arms of freely over the ejector until, in withdrawing the bolt, 1870 was conceded, but since that time Germany has Austria, Belgium, Denmark, England, France (for the head strikes the knob, causing the longer arm of twice changed her infantry arm. France has also cavalry), Germany, Japan, Portugal, Roumania, Rus- the lever, f, to rise, and, with a blow on the cartridge made important changes, finally adopting a perfected sia and Switzerland. It was unanimously decided that shell, throw it clear of the receiver. The magazine Lebel, and a Berthier gun for cavalry service. Austria, the gun selected should be an efficient single loader space itself does not, as in the Danish gun, project after trying different forms of guns, has taken as its and a rapid magazine arm, holding at will the maga- beyond the left face of the stock, and the gate is standard a Mannlicher rifle and carbine, Belgium has zine in reserve, with a cut-off plainly indicating to hinged horizontally and opens downward, instead of

claborate trials, has adopted in a tentative way what system of breech closure, as developed in the last few It is difficult to imagine a more trying series of tests



THE "BRUCE" MAGAZINE RIFLE

is known as the Lee-Speed gun, very similar to the years, was also strongly recommended instead of the than those to which the different arms before the Lee or Remington magazine gun, which was highly block system. commended by a board of United States navy officers in 1870, and has since been in regular use in the navy.

It has been principally from a just conception of the practical state of the case, and a desire to avoid the expensive errors of the military authorities abroad, that our own army officers have been apparently slow in deciding upon the new rifle with which our soldiers and showing also the magazine space, is given in both with using the magazine and holding it in reserve. are to be hereafter armed. But the work has now our illustration, the small figure being a section of the Afterward the piece was exposed in a mechanical dust

The gun finally selected is a modification of what has been heretofore known as the Krag-Jorgensen was first fired twenty shots from the shoulder, magagun, adopted by Denmark for its army, but the piece | zine loaded, and held in reserve till the last; then as has been considerably changed to meet the severe tests rapidly as possible for two minutes, both as singlerequired by the board. A longitudinal section of the loader and as a magazine gun. An endurance test of breech mechanism, with the bolt in the firing position, 500 continuous rounds, without cleaning, followed,

board were subjected, and in all of which the finally selected piece proved its eminent superiority. The gun been done, after examinations and trials which seem, magazine and receiver. The bolt differs from the Dan- box to a most severe dusting, and then tested after



THE "HAMPDEN" MAGAZINE RIFLE.

consisted in thoroughly rusting the breech mechanism, and then firing the arm in this condition, while yet other tests were made by using defective cartridges in the gun, to determine its liability to being permanently disabled from such cause, as occasionally happens in

actual service.

From the first, the board made every possible effort to induce American inventors to enter these competitive trials, desiring especially to secure for the service an arm of distinctively American origin. And it was the general expectation at the outset that American inventors would lead all others in this field, but the guns of home design presented, although containing many highly ingenious features and some special merits of high character, were generally found wanting in the combination of qualities which had been decided upon as the standard. The delay of inventors in presenting their arms caused an undue prolongation of the work of the board, some of the arms tested being withdrawn several times for correction and improvement. There down by the board, and a general understanding of the manner in which these exhaustive tests were conducted, will have the effect of stimulating American inventors to making renewed efforts in this line.

Among the other guns tested by the board which

the severity of the trials, was one presented by the inventor, Mr. L. F. Bruce, of Springfield, Mass., of which we give a sectional view of the breech mechanism, with the action open and magazine full. The left wall serves as a guide and support for the long rib, a, of the bolt, and in front the casing, b, considerably overhangs the receiver with a helicoidal surface, c, which, when the nose, d, of the guide rib comes into bearing, cams the bolt around to the right. A channel, e, in the tang permits the pass of the cocking piece, m. The magazine is a hinged box revolving down and to the rear, and it can be cut off and held in reserve while the gun is used as a single loader.

In the tests of this gun 15 shots were fired as a single loader in 55 seconds, the magazine being then turned on and its five shots fired in 15 seconds. Thirty-six shots were then fired, using the gun as a single loader, in two minutes, 38 shots being fired in two minutes at another trial. As a single loader the fire was more rapid than as a magazine In the endurance trial the bolt worked stiffly as the gun became heated toward the close of each set of 50 shots. and some minor but apparently easily remediable defects were disclosed. The dust test also disclosed some defects, there being difficulty in extracting shells, and the mechanism working stiffly. No injury was done to the piece by the use of defective cart-ridges, or by excessive charges, but the mechanism always required the exertion of considerable force to operate it.

The "Hampden" arm, shown in section with the action opened in one of the illustrations, is so named in honor of Hampden County, Mass. It was submitted by the inventor, Mr. Thomas B. Wilson, of Springfield, Mass., and showed wonderfully good qualities when subjected to the prescribed tests. The magazine mechanism, including the cut-off, is entirely contained in the cart-

left of and above the receiver. The latter is cut away at the right side, having a straight shoulder, a, upon which the long guide and locking rib of the bolt rests when ready for firing.

In the tang is a channel, e, for the passage of the nose of the cocking piece, h, and the extractor, d, has hooks engaging over the body of the bolt and the sleeve assembling the parts of the bolt. In the top of the cartridge packet is a folded leaf spring, y, one end secured under a cross bar, r, while the other end acts as a follower, the weight of the cartridges assisting the action of the spring. The cut-off, g, is a flat piece of spring steel sliding in the socket, i. From the position and form of the cartridge packet, by above the gun.

In the first test 15 shots were fired as a single loader in 54 seconds, followed by the 5 shots from the magazine in 15 seconds. Forty-five shots were then fired in two minutes, using the piece as a single loader. In testing the piece for two minutes as a magazine arm, six trials were made, on account of various mishaps, the last trial resulting in 50 shots being made; and in

made and 5 cartridges introduced into the magazine test the mechanism worked well, and also as a single loader for 100 rounds. The gun also worked well after both dust tests, with the magazine loaded and empty when exposed, and defective cartridges and excessive charges in no way affected the mechanism, which worked freely and well and to the satisfaction of the board. After rusting the bolt had to be opened with a mallet, and the firing pin was rusted fast, so the gun could not be fired.

The other American guns submitted to the board included one by John H. Blake, of New York City, in which the magazine, lying below the receiver, contains a revolving cylindrical packet holding seven cartridges; a gun by the Chaffee-Reece Arms Co., of Washington, D. C., with a tubular magazine carrying five cartridges in the butt stock; one by M. H. Durst, of Wheatlands, Cal., having a cylindrical ten-cartridge magazine lying directly below the receiver, the cartridges being loaded is reason to believe that a knowledge of the rules laid singly or stripped from a clip as with the Mauser gun; one by Ivert Larsen, of Chicago, with five-cartridge magazine and cut-off; one by J. W. Mullins, of Fariston, Ky., in which the magazine is designed to hold but three cartridges; one by Major W. R. Livermore and Captain A. H. Russell, of the United States army, made a remarkably good showing, notwithstanding very similar to the Lee-Speed gun of England; and claims as its victim one whose genius placed him

PROF. NEWBERRY.

ridge packet, which is placed in a receptacle to the one by Arthur Savage, of Brooklyn, N. Y., with a fornia, but otherwise it was a terra incognita. magazine adapted to carry nine cartridges.

Before the question of selecting the best breech mechanism was submitted to the board, the War Department had fixed upon 0.30 of an inch as the caliber of the new rifle, instead of 0.45 of an inch, the old standard. It had also settled upon the length of the barrel, the twist of the rifling, the number and form of grooves, and the dimensions of the chamber corresponding to the new cartridge, which will have a bottle-necked shell, and will, when loaded, be 300 inches long. The bullet will be 0:300 inch in diameter and weigh 200 grains; it is made of hardened lead incased in a jacket of copper. A charge of 36 grains of smokeless powder is to be used, giving an extreme range of simply using larger packets a greater number than 4,000 yards, or a range of some 1,500 yards with a very ing his report, he joined the expedition under Lieut. five cartridges can be introduced into the magazine, flat trajectory. The smokeless powder used on the Joseph C. Ives, assigned to the exploration and navithe number being limited only by the convenience of trials came from Wetteren, Belgium, but we already gation of the Colorado River. With this party he handling the packets and the amount of projection have a smokeless powder, perfected by officers in the entered the river at its mouth and ascended the turbuservice, which has many superior points, and is lent stream by steamer some five hundred miles, until thought to be fully equal to any of the smokeless powders heretofore made in Europe.

The report of the board, forwarded to the War Deof ordnance and the Major-General commanding, has

simply wiping with the bare hand. Still further tests firing from the hip at short range, 30 shots were possible to turn out the guns rapidly in quantities sufficient to supply the army, much of the present main one minute. Throughout the 500-round endurance chinery having to be materially changed and considerable new machinery having to be supplied, but this work of preparation is now well under way. It is being energetically pushed under the immediate direction of Captain S. E. Blunt, of the ordnance department of the army, who was the recorder of the board, and who has a national reputation as being one of the most competent officers in the service in all matters pertaining to the manufacture, handling, and use of small arms. It is expected that deliveries of the new arm to the army will commence about June or July, 1893.

#### JOHN STRONG NEWBERRY.

The present year will be long remembered in the history of the National Academy of Sciences by the large number of deaths among its distinguished mem-Scarcely had 1899 been ushered into existence when the loss of the venerable Quartermaster-General Montgomery C. Meigs was made known. In quick succession came the announcements that the physicist Lovering and the chemist Sterry Hunt were no more. The botanist Watson and the astronomer Rutherfurd died before the year had reached its fullness. In the early autumn the engineer Trowbridge died, and now, as the year is fast drawing to a close, death

easily among the very first of our geolo-

gists.

John Strong Newberry was born in Windsor, Conn., on December 22, 1822. His ancestry was thoroughly American and his grandfather served with distinction in the revolutionary war, attaining a high rank in the army. At an early age the boy accompanied his parents to Ohio, and, as he grew up, determined to study medicine. Accordingly he entered the Western Reserve College, where he was graduated in 1846, and two years later received his medical diploma at the Cleveland Medical College. This education he supplemented by two years in Europe, where, besides pursuing special studies, he visited the great capitals.

Few men at that period were able to begin a professional career so well equipped in every respect as young Dr. Newberry. The city of Cleveland was, even in those early days, a large place and was beginning to feel the prosperity that came to it in consequence of the building of Western railroads. Perhaps more than any other city in Ohio it was a social center, and in 1851 Dr. Newberry settled there in the practice of medicine. For four years he was active in his profession, but his scientific researches were steadily leading into those branches which subsequently became his life work.

Soon after the discovery of gold in California, the desirability of a transcontinental railway was agitated, and the selection of a suitable route was one of great importance. The national government took an active interest in the matter, and during the years 1858-6 no less than five separate lines of geological reconnoissance were in active operation in different sections of the country west of the Mississippi River. To a young and enthusiastic student of natural history, here was a new and great field to be studied. James D. Dana and Philip T. Tyson had made brief reports on the geology of Cali-

Accordingly, in 1855, Dr. Newberry joined the United States army as an assistant surgeon, and in that capacity, but with charge of the geology, he was assigned to the exploring party sent out under command of Lieut. Robert S. Williamson, to examine the country between San Francisco and the Columbia River. He gathered information on the botany, geology, and zoology of the territory visited, and his reports appear in the sixth volume of the "Reports of Explorations and Surveys to ascertain the most Practical and Economical Route for a Railroad from the Mississippi River to the Pacific Ocean, made in 1858-6," which was published in Washington in 1857.

The work proved congenial, and, promptly on finishthe entrance of the Grand Cañon was reached, where he spent nearly a year in making researches in the geology and natural history of that territory. His partment in September last, approved by the chief observations formed the most interesting material that was gathered by the expedition, and more than onealso received the approval of the department, and in half of the "Report upon the Colorado River of the November orders were issued for the commencement West, explored in 1857-8," issued by the government in of work upon this new United States magazine rifle at 186i, was written by him. It was doubtless the interthe gun shop of the Springfield Armory. A great est aroused by this account that ten years later led amount of preparation is necessary before it will be Major John W. Powell, now director of the United

<sup>\*</sup> An illustrated description of the manner in which these tests were carried out was published in the SCENTERO AMERICAN of August 22,

tion of the great cañons of the Colorado.

When the war broke out he was elected a member of the U. S. Sanitary Commission, and was instru-mental in extending the work of the commission inch discharge, and a capacity of 15,000 to 20,000 galthroughout the Western States. After the war was lons per minute. The water was discharged into the over, he was called to fill a chair of geology and paleontology in the then recently established School of a successful culmination. The lake, of 800,000,000 gal-Mines of Columbia College, on the duties of which he lons estimated capacity, was emptied, and a handsome entered in the autumn of 1866. In this capacity he profit is expected as the result of the operation. continued until December, 1890, when a sudden stroke of paralysis compelled him to relinquish work. A year's leave of absence was promptly granted him, but at the expiration of this term he was unable to return, and he was made professor emeritus.

States geological survey in 1884, and assigned to the charge of certain portions of fossil botany and fishes, concerning which he reported on the "Fossil Fishes and Fossil Plants of the Triassic Rocks of New Jersey down the spacious boulevard to the consternation of holding a saw approaching very closely in form to the and Connecticut Valley" (Washington, 1888), and on the passers by, and suddenly turned into a by street. Egyptian saw. St. Jerome seems clearly to allude to

ton, 1889). Material on the fossil plants of the cretaceous and tertiary rocks of the far West was for some time in his pos sion, but had not been sufflciently completed for publication up to the time of his death.

Of honors he had many. In 1867 the degree of LL.D. was bestowed on him by the Western Reserve College, and in 1888 the Geological Society of London conferred upon him its Murchison medal, which was the first time this honor had been bestowed upon an American geologist. It was then well said of him that "He is a geologist after Murchison's own heartkeen of eye, stout of limb, with a due sense of the value of detail, but with a breadth of vision that keeps detail in due subordination.

In his death science loses one of its masters, for he was rich in those accumulated experiences which we call wisdom. Humanity loses a friend, for seldom has a life been spent in more active philanthropy; but his influence cannot die, and will live to

" Reach thro' nature, moulding in -M. B.

#### Braining of Lake Angeline,

Lake Angeline, in the Marquette Range, was a little lake near Ishpeming, Mich. The Cleveland Iron Mining Company and the Lake Superior Iron Company owned together about four-fifths of the area of the lake.

State. Geological Survey, to make his famous explora- drain it. Operations were begun last spring, the contract being awarded to C. B. Howell, of this city. The work began with sinking a crib and putting in operation a centrifugal pump, with 20 inch suction and 29

#### A LION AT LARGE.

The accompanying illustration represents an incident which lately occurred in the streets of Bordeaux. A traveling menagerie had taken up its quarters on He was appointed paleontologist to the United the Boulevard de Cauderon, on the outskirts of the city near the Parc et Jardin d'Acclimatation, and, during "The Paleozoic Fishes of North America" (Washing- Here he observed, outside a tavern, a sleepy cart horse the circular saw, which was probably used, as at pre-

AN ESCAPED LION ATTACKS A DRAY HORSE,

The rest was owned by the Pittsburg and Lake Ange-harnessed to a hay cart, and evidently awaiting the line Company. The lake was a beautiful sheet of water return of its driver from the estaminet. Although where, as is usually the case, there are a number in nearly a mile long, one-third of a mile wide, and about forty-five feet deep in a number of places. Its average depth was 20 feet. The operations of the mining companies have for some time extended beneath its bed, and it was determined by the mining companies to began firing with their revolvers at the struggling pair. body, this shock might be fatal.

The firing does not seem to have injured the lion, for as soon as he had had his fill of horse flesh he turned to continue his promenade. At this moment a young man proposed to attempt to lasso the beast, and covered by the revolvers of the gens d'armes, he made the attempt. After many futile efforts, the noose eventually fell about the neek of the lion, and, being pulled tight by the excited crowd of pursuers, the animal was dragged, half-strangled, back to his den. It was fortunate that the cart horse was the only victim of this unusual excursion.—Daily Graphic.

#### Antiquity of the Saw.

The saw is an instrument of high antiquity, its invention being attributed either to Dædalus or to his nephew Perdix, also called Talos, who, having found the jaw of a serpent and divided a piece of wood with feeding time, one of the lions managed to evade the it, was led to imitate the teeth in iron. In a bass-relief keepers and escape from his cage. The wild beast tore published by Winckelmann, Dædalus is represented

> sent, in cutting veneers. There are also imitations of the use of the center bit, and even in the time of Cicero it was employed by thieves. Pliny mentions the use of the saw in ancient Belgium for cutting white building stone; some of the oolitic and cretaceous rocks are still treated in the same manner, both in that part of the Continent and in the south of England. In this case Pliny must be understood to speak of a proper or toothed saw. The saw without teeth was then used just as it is now by the workers in marble, and the place of teeth was supplied, according to the hardness of the stone, either by emery or by various kinds of sand of inferior hardness. In this manner the ancient artificers were able to cut slabs of the hardest rocks, which consequently were adapted to receive the highest polish, such as granite, porphyry, lapis-lazuli, and ame-

#### Carrying Capacity of Wires.

The safe carrying capacity of a wire is that current which it will convey without becoming painfully warm when grasped in the closed hand. In reference to this it must be remembered, says the Electrical Age, that this test cannot safely be made with the wires carrying currents for are lights, and it is intended to be applied only with reference to the conductors of incandescent lights. These may be handled

RECENTLY PATENTED INVENTIONS.

Bailway Appltances.

METALLIC TIE. - Andreas Mattijetz, Giddings, Texas. This tie is made of U-shaped chanby their sides to the sides of the channel iron, flanged lugs secured to the cross plates being adapted to enthe cross plate, while flanged vertically extending plates are passed through slote in the ends of the channel iron. The tie is designed to be cheaply manufactured and very durable, preventing the spreading of the ratie and displacement of the ties, especially on

RAILROAD FROG. - John S. McAdams, Ashland, Pa. A pivoted point is by this invention formed of two rails with an intervening throat piece bolted together and pivoted at the inneture of the switch ralis and the ralis of the main track, and connected with a pivoted letter, the arrangement being such that a train passing over the frog has a continu one bearing, and jar and noise are avoided. As the wheels have a full bearing, with trains moving in either tear are reduced to a minimum,

ROD STRAIGHTENER .- Patrick Mc Cann, St. Ignace, Mich. This is an improved clamp for straightening metal rode, bore or braces, and more particularly for straightening sliding switch rall rods or braces on railroads. The improvement consists of a ecrew clamp with attached turning or pressure foot, which can be readily employed by one man, and without removing the rods or braces from the rails, or nocessitating any stoppage of trains.

#### Electrical.

ELECTRIC GAS LIGHTER.-Lucien M. Kilburn, Council Bluffs, Is., and Scott Van Etten, Oma-ha, Neb. This Invention relates to automatic lighting and extinguishing burners in which an oscillating gas valve in the gas tube is opened and closed by armatures and levers operated by magnets, a sparking de-vice igniting the gas when it is turned on. The improved burner is designed to have greater efficiency, capacity, and certainty than has heretofore been afforded by such burners, while obviating all danger of leakage of gas through the valve and burne

LIGHTNING ARRESTER.-William R. Garton, Keokuk, Ia. An armature is arranged to slide in a solenoid having at one end a guide rod which reranged with their faces near each other, one of the plates being connected with the ground and the other normally in contact with the carbon carried by the armature, A closed chamber, nearly airtight, incloses the upper surface of the lightning arrester plate and the carbon carried by the armature. This improve-ment is designed to protect all electrical apparatus connected with the lines, and the dynamos and lamps upon

#### Mechanical.

WRENCH.-Daniel C. Wiest, Mohrs-

rrench. It has a revoluble jaw-holding nipple, held to turn in an interior aperture of the wrench head, as-

BOX MACHINE.-Charles W. Roberts, Lawrence, Kan. Box blanks may, by the machine provided by this invention, be rapidly and accurately shaped and held in place until they are fastened by nails or otherwise. Upon a suitable support is a sta-tionary form, below which are vertically movable and pivoted jaws and a pivoted bottom plate, in combination with means for simultaneously operating the bot-tom plate and jaws. The machine is especially adapted to make berry and other light boxes, such as are usu-ally formed of wood veneers, paper board, etc.

BELT HOLDER.-William F. Cleveland, applied device, more especially designed for use on threshing machines, etc., where driving belts are ex-

DIFFERENTIAL HOISTING MACHINE.-Charles F. Cliff, Durham, Canada. In this construction a fixed and a revoluble internal gear wheel are employed, a wheel receiving motion from the fixed wheel and imparting motion to the other wheel, there being ville, Pa. This is a simple, strong, and durable ratchet two sets of intermediase gearing, with which also the wrench, readily adjustable to note of various sizes, and driving shaft is connected. The differential gearing is wrench, readily adjustable to nute of various sizes, and which can be conveniently operated. It is provided with improved means for changing the ratchet, so that the wrench may be used either as a right or left hand

## Agricultural.

CULTIVATOR. - James Birch, North Ontario, Cal. This is a light and durable cultivator for orchard use, provided with a suitable riding frame for the driver. The cultivator frame can be readily raised or lowered while the machine is moving in a straight line or rounding curves, and the various shovels and acrapers employed can be quickly and easily attached to and detached from the cultivator frame. The riding frame may be detached, if desired, and the machine used as an ordinary cultivator,

STUMP PULLER.-Adams C. French, Rapid City, South Dakota. The frame of this device carries an upright shaft, formed with conical large and small cylindrical portions, to which the bore of the main drum is conformed, having at its upper end a tenon-like portion on which is journaled a second drum, above which, on the npright shaft, is journaled a sweep, pins on the sweep being movable into and out place and preventing displacement by the wind. The device rises and falls with the ordinary vibration of the belt, thus bessening the friction, and it also serves as a

#### Miscellaneous.

LUMBER DRIER. - John W. Piver, Americus, Ga. A lumber support is arranged in a drying room of a house warmed by a heater, and is com-posed of an inclined side support and a base support formed of a series of step-like blocks having their upper surfaces approximately at a right angle to the side support, whereby iumber may be piled in an edgewise clined position, without the use of racks having

separate seats for each row of boards, and without g the boards to be set endwise into the pile.

APPARATUS FOR CONDENSING FUMES. Albert F. Schneider, St. Louis, Mo. This apparatus comprises a cooling chamber having a fine inlet at one comprises a cooling casance making a me milet at one and and a discharge at the other end, a perforated horizontal partition near the bottom on which pipes are mounted endwise, spraying nozales delivering into the chamber, and means for collecting the condensed material beneath the perforated partition. It is designed to condense and collect the fumes, gases and dust of shaft, roasting and reverberatory furnaces, and is especially adapted to furnaces used in silver, load, gold and copper ore smelting and milling works, and in retreating the metal products and by-products.

ACCOUNT KEEPING DEVICE.-William W. Maxwell, Champaign, Ill. This device consists of a number of movable files mounted in a suitable frame, each fly having an index arm, while account sheets made in the form of endless beits are held to turn on the middle portions of the flies. The device is designed for use by banks and large mercantile firms, to take the place in a great measure of journal, ledger and balance aling the bookkeeper to make his entries casily and quickly and readily prove the accuracy of

REIN HOLDER.-George W. Thompson, Sag Harbor, N. Y. This device is designed to hold the reins in such a manner that the horse cannot easily throw his tail over them. The device has a base with a recess to receive the hip strap, a wedge-shaped elide being dovetailed into the recess, the outer por-tion of the slide having a curved horn or guide. By this improvement the reins when slack are prevented from dropping down over the horse's sides. The device is readily fastened to the hip straps of the har-

HORSE COLLAR.-William Murr, Fountain City, Wis. This collar is designed to pres shape at all times, and is adapted to be readily opened and closed at the throat, having a flexible top which serves as a hinge to conveniently swing the sides apart. The stuffed sides of the collar have each a plug fastened in their lower ends, the inner ends of the plugs being beveled and curved rods secured flatwise upon the and extending upward in the middle of the stu

SHAFT TUG. - John A. Lesh, Markelsville, Pa. An inner loop is fitted and movable in the main loop of this tug, there being side guides in the main loop alongside the inner loop and a connecting piece at the bottom extending through the inner loop. This construction prevents any twisting of the inner loop and relieves both loops of wear, while the back strap may be connected with the main loop without ig any protuberance at the back of the la

SNAP HOOK.—Samuel Brown, Quincy, The hook proper, according to this invention has a bifurcated nose portion, within which is pivoted and works a hook-shaped latch, also provided with a closing nose piece and backwardly extended saddlelike projection having a snapping or catching lip for engagement with the shank of the hook proper. The improvement dispenses with a spring for closing the latch, and there is no liability of the snap hook being opened either by its own play or movement or that of usual ring or fastening held by it.

ROAD CART. - Alexander D. Curry, Istachatta, Fla. This invention provides a co between the axle and thills, which permits the thills to rock without communicating any of the motion to the axle or the rigid portion of the connection, providing also a novel form of supports which can be quickly and casily adjusted. The construction affords a cheap and simple easy running cart, designed to entirely avoid

FENCE POST AND HOLDER,-George W. Schofield, Jacksonville, Ill. The holder is tubu lar, preferably of earthenware, and with a base flange forming a support for a metal post, having a two-part lower end, both extremities of which project outward in opposite directions under the lower edge of the holder. The improvement is designed to afford a post of great strength and stability, especially adapted for corner or end posts, on which the pull or strain come when tightening up the wires of wire fer

COLLAR BUTTON.-David O. Parks, Denver, Col. Two spaced disks are connected togeth by a shank, a collar-receiving stud projecting from the outer disk, to which disk is hinged a plate adapted to be swang up in front of the stud to hold a collar on. It is a simple form of button, easily attached to the neck band, and not readily pushed or pulled out, by means of which the collar may be readily secured in place without pushing a button through the button holes of the collar,

LAMP HANGER. - George Albee, Susquehanna, Pa. This is a simple device for snepending electric lamps or lanterns, to be manipulated by a suspension rope. It comprises a pulley block, with a sus-pension loop pivoted upon and depending from the axis of the pulley, a lamp-supporting hook engaging the lower end of the loop, in con ing lever pivoted on the shank of the hook and an operating cord or cable

DENTAL PLUGGER.—Henry R. Kline, the usual hammer and pneumatic connections, and there are projecting stay rings secured to the hammer tube, a tubular socket sliding in the stay rings and having shoulders to engage them, in con ection with a fastening device to fix the plugger in the socket. The device is adapted to hold any of the usual hand pluggers, and is so constructed that the air tube cannot cidentally close to interfere with the working of the hammer. It has a pair of air bulbs, so that sufficient force may be given to the hammer by a slight pressure of the foot.

DENTAL SEPARATOR. - Benjamin Simons, Charleston, S. C. This is a device for forcibly separating two adjacent teeth to give access to cavities difficult to reach. It consists of two pairs of grippi

claws to clutch the adjacent teeth to be separated, and two right and left screw shafts geared together by cog wheels, the shafts being tapped through the shanks of the claws, and when rotated forcibly separating the

GAME BOARD.- John S. Williams, Trenton, N. J. This board has three circular walls connected by straight walls, the circular walls each having an inward opening on the common inclosure. The game is played with white and black marbles, put together in one circle, and to be separated and rolled into the other two circles, the white marbles into one and the black ones into the other, by simply tipping the board, without touching the marbles

DISINFECTING DEVICE.-John W. Bow erbank, Jersey City, N. J. A receptacle is provided with a depending metallic drip tube and inner rubbe lining tube, the metallic tube being compressed transversely, thereby compressing the rubber tube and forming its bore into a narrow slit through which the liquid is adapted to drip. The device is inexpensive and designed to exactly control the dropping escape of the fluid to places where contagious exhalation

DESIGN FOR BICYCLER'S BAG. tephen B. Gilhuly, Long Branch, N. J. This bag has the form of a truncated scalene triangle, the wide and narrow ends being parallel, and the angle lower edge being considerably greater than that of the upper edge, while all the lines are straight.

NOTE.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Please send name of the patentee, title of invention, and date of this paper.

#### NEW BOOKS AND PUBLICATIONS.

RESULTS OF METEOROLOGICAL OBSERVA TIONS MADE IN NEW SOUTH WALES DURING 1889. Under the direction of H. C. Russell. 8vo. Pp. 148. Maps. Price 3s. 6d.

The meteorological observatories of New South Wales appear to be fully equipped with good apparatus from the London makers. A work of this kind is of course of little value outside of the district treated in

## SCIENTIFIC AMERICAN BUILDING EDITION.

DECEMBER NUMBER.-(No. 86.)

TABLE OF CONTENTS

 Elegant plate in colors, showing a very attractive dwelling at Warberth Park, Pa., erected at a cost of \$4,150 complete. Floor plans and two perspective elevations. John Robinson, architect, Germantown, Pa.

2. Plate in colors showing a residence at Springfield Perspective views and floor plans. Cost \$12,000 complete. Mr. Guy Kirkham, architect.

Springfield, Mass. An excellent design, colonial residence at Newton Highlands, Mass. Perspective view and floor plans. J. W. Beak, architect, Boston. A picturesque design.

4. A pretty cottage erected at Bridgeport, Conn., at

a cost of \$1,600. Floor plans, perspective, etc. A. M. Jenks, architect, Bridgeport, Conn.

5. A dwelling house erected at Warberth Park, Pa at a cost of \$4,478 complete. Mr. C. W. Macfarlane, architect, same place. A model design. Floor plans and perspective.
"Queen Anne" cottage erected at St. David's,

Pa., at a cost of \$5,500 complete. A unique design. Perspective elevation and floor plans. F. L. & W. L. Price, architects, Philadelphia.

7. A residence in the "Colonial" style of architecture, erected at St. David's, Pa. Perspective view and floor plans. Cost complete \$5.800. F. L. & W. L. Price, Philadelphia, architects.

residence on Golden Hill, at Bridgeport, Conn. Perspective elevation and floor plans. D. R. rn, architect, New Haven, Conn. An excellent design. A residence recently erected at Springfield, Mass.

Floor plans and perspective elevation. \$2,490 complete. Mr. A. B. Root, architect, same place. A pleasing design, 10. Picture of Aldworth, Sussex, the home of Lord

Tennyson. Portrait of Lord Tennys

11. Sketch for a cottage at Sancelito, Cal.

12. Design for a thirty-story building.
13. Sketch of residence of Mr. Howard Bell, Atlanta,

ous contents: Some of the merits. tight cellars,-Read this with care,-Improve your property.-How to catch contracts,education of customers.- Erection of additional buildings.-Concave sounding boards.-A high railway bridge.-A complete steel bouse front, ed.-An improved woodworking machine,-Finely carved woodwork, illustrate Steam and hot water radiators, illustrated,— Plaster of Paris,—Disinfection by means of sulphur.-A novel newspaper building.-Fine steel ceiling in an art gallery.

The Scientific American Architects and Builders Edition is issued monthly. \$2.50 a year. Single copies, equal to about 25 cents. Forty large quarto pages, equal to about two hundred ordinary book pages; forming, practi cally, a large and splendid MAGAEINE OF ARCHITEC-TURE, richly adorsed with elegant plates in colors and with fine engravings, illustrating the most interesting examples of Modern Architectural Construction and allied subjects.

ess, and Conveni The Pullness, Richness, Ches. of this work have won for it the LARGEST CINCULATION of any Architectural publication in the world. Sold by

> MUNN & CO., PUBLISHER 361 Broadway, New York.

### Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Adver-tisements must be received at publication office as early as Thursday morning to appear in the following week's issue

For mining engines. J. S. Mundy, Newark, N. J. "U. S." metal polish. Indianapolis. Samples free. Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J. Best baling presses. Ryther Mfg. Co., Watertown, N.Y. G. D. Hiscox, 361 Broadway, N.Y., Consulting Enginee Heading machinery. Trevor Mfg. Co., Lockport, N. Y.

Universal and Centrifugal Grinding Machine Pedrick & Ayer, Philadelphia, Pa. The Improved Hydraulic Jacks, Punches, and Tube Expanders. R. Dudgeon, 24 Columbia St., New York. Screw machines, milling machines, and drill presses The Garvin Mach. Co., Laight and Canal Sts., New York

Centrifugal Pumps for paper and pulp mills. Irrigating and sand pumping plants. Irvin Van Wie, Syracuse, N. Y Stow flexible shaft. Invented and manufactured by Stow Mfg. Co., Bingha mton, N. Y. See adv., page 306. Guild & Garrison, Brooklyn, N. Y., manufacture steam rumps, vacuum pumps, vacuum apparatus, air pumps, acid blowers, filter press pumps, etc.

Split Pulleys at Low prices, and of same strength and appearance as Whole Pulleys. Yocom & Son's Shafting Works, Drinker St., Philadelphia, Pa.

Parties having devices for utilizing the Leat in boiler stacks for heating the feed water will please address Wm. Jennings, Secretary, Harrisburg, Pa.

Aluminum—For agents or advertisers. Sheet Wire Ingots Novelties. Send stamp for catalogue. Cincinnati

Perforated Metals of all kinds and for all purp general or special. Address, stating requirements, The Harrington & King Perforating Co., Chicago.

To Let-A suite of desirable offices, adjacent to the Scientific American offices, to let at moderate terms. Apply to Munn & Co., 361 Broadway, New York. Hydrocarbon Burner (Meyer's patent) for burning

crude petroleum under low pressure. See adv. pe 381. Standard Oil Fuel Burner Co., Fort Plain, N. Y.

Fine Castings in Brass, Bronze, Composition (Gun Metal), German Silver. Unequaled facilities. Jas. J. McKenna & Bro., 424 and 436 East 33d St., New York. The best book for electricians and beginners in elec-

tricity is "Experimental Science," by Geo. M. Hopkins By mail, \$4; Munn & Co., publishers, 361 Broadway, N. Y Canning machinery outfits complete, oil burners for oldering, air pumps, can wipers, can testers, labeling machines. Presses and dies. Burt Mfg. Co., Rochester

mpetent persons who desire agencies for a dar book, of ready sale, with handsome profit,

apply to Munn & Co., Scientific American office, M adway, New York. Wanted-Engineers and pilots. Twenty licensed er

winded and pilots to run small passenger steamers for the summer months of 1893, in connection with the World's Fair. Soher, steady men are invited to write u for further information. Chas. P. Willard & Co., Cly-bourn and Southport Aves., Chicago, Ill.

Send for new and complete catalogue of Scientificand other Books for sale by Munn & Co., 361 Broadway New York. Free on application.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all lett or no attention will be paid thereto. This is for information and not for publication.

information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.

expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of

Minerals sent for examination should be distinctly marked or jabeled.

(4626) M. asks: 1. Does the Mississipp River run up hill, as it is said that its mouth is three miles higher than its source? A. Water never runs up hill. The Mississippi a thousand miles from its mouth is about 300 feet above the sea level for the difference of the two latitudes. The spheroidal form of the sea level is fixed by gravity, and all water above that level gravitates toward the sea or down hill, although it may be running farther from the earth's center. 2 If the earth in going around the sun in its orbit makes one day in a year without turning, how many times does it turn on its axis to make 265 days? A. The days, as ordinarily reckoned, are solar days of 365% in 1 year, but 36614 revolutions on its axis. 3. If you crease the speed of the crosshead of an engine so that it is no longer on the point where it changes its direction than it would have been if it had not changed. does it stop any more in one case than in the other? A. Reciprocating motion stops at the end of the stroke, under any possible speed. 4. As it is farther over a half circle than across the base, why does it not take board to make a tight fence over than a If the boards are vertical, the chord or straight line is at right angles to their edges, and their width is their measure. While on the vertical curve the measure is at an angle equal to the angle of the curve, which is greater than the chord measure. This is readily domonstrated by a diagram. 5. When the earth codown wasn't the climate tropical at the poles a long time before it became frigid? A. The polar region are supposed to have been tropical in the early geological ages, when the sea was warm and rain pre the poles, or possibly the polar axis may have gradu ally changed its position.

(4627) F. K. W. writes: Suppose that to a car having four wheels we apply four brake shoes, but not with pressure enough to slide any wheel. Also

to another car of same kind under same conditions we apply two shoes, with force enough to slide two wheels dead. Which will stop quicker? Will not the car with wheels sliding be stopped just as quick as the dis-tance covered by the inertia of the car's motion? In other words, two wheels running loose against two locked, the loose wheels will have no propelling power, will they? A. The car with the four brakes will stop the car quicker. There is less friction in a sliding wheel than with a rolling wheel held by a brake, up to near its sliding resistance. The relation of the mo-mentum of the car and the sliding friction of its wheels is an uncertain amount, depending upon the condition

(4628) S. A. D.-Luminous paint can be SUPPLEMENT No. 497 contains as article on luminous

#### TO INVENTORS.

An experience of forty years, and the preparation of ore than one hundred thousand applications for pa-nts at home and abroad, enable us to understand the tents at home and abroad, enable us to understand the laws and practice on both continents, and to possess un-equaled facilities for procuring patents everywhere. A synopsis of the patent laws of the United States and all foreign countries may be had on application, and persons foreign committee may be made a approximation, and persons contemplating the securing of patents, either at home or abroad, are invited to write to this office for prices which are low, in accordance with the times and our extensive facilities for conducting the business. Address MUNN & CO., office SCIENTIFIC AMERICAN, 261 Broadway, New York.

#### INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

December 20, 1892,

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

| n   | Acid, making oxyuvitio, B. R. Seifert  | 488,200                       |
|-----|--|-------------------------------|
|     | Ammonia, process of and apparatus for making,  | 100 000                       |
|     | Animal trap. O. S. Ward  | 486,282                       |
| 500 | Auditorium chair, J. W. Patterson  | 488,533                       |
| i,  | Automatic sprinkler, P. W. Swan  | 488,257                       |
|     | Axle and box, vehicle, G. W. Smith   | 488,486                       |
| T   | Bag holding device, J. Peer  | 488,449                       |
| g   | Bagasse carrier, L. W. Brown   | 488,423                       |
| ٠,  | Ballot box. E. Hoxie   | 488,203                       |
|     | Battery. See Storage battery.  | 488,244                       |
| W   | Belt tightener, H. Hackney   | 488,197                       |
| y   | Billiard scorer and register, R. N. Montgomery   | 486,480                       |
| 1   | Acid, making oxynvitic, B. R. Seiford Ammonia, process of and apparatus for making, P. Kuntze. Ammonia, process of and apparatus for making, P. Kuntze. Animal trap, O. S. Ward. Auditorium chair, J. W. Patterson. Auger bandle, D. B. Whitebill. Automatic sprinkler, P. W. Swan. Axie and box, vehicle, G. W. Smith. Axie lubricator, W. H. Pugh. Bag holding device, J. Peer. Bagnasee carrier, L. W. Brown. Ballot box, E. Hoxie. Battery. See Storage battery. Ballot box, E. Hoxie. Ballot box, E. Hoxie. Baltery. See Storage battery. Boll, door, A. Iske. Belt tightener, H. Hackney. Blitzel stand, H. C. Wiedenmann. Billiard scorer and register, R. N. Montgomery. Blianks, automatic device for feeding, W. P. De- Boller, T. L. & T. J. Sturtevant. Boiler, T. L. & T. J. Sturtevant. Boiler setting, F. G. Gasche. Borting apparatus, F. Gardiner. Box supoprt, W. D. Smith. Brake. See Car brake. Wagon brake. Brick or tile cutter, A. Z. Williams. Brooder, chicken, E. Barney. Boom out poort, C. A. Hudgen. Buckle, G. E. Adams. Buckle, G. E. Adams. Buggt top, D. Shivell. Budding, R. Quatornass. Burten. See Oil burner. Button, bachelor, J. F. Platt. Cable crossing, W. Bowers.   | 488,389                       |
|     | Bobbin winder, shuttle, A. W. Allen  | 488,176                       |
| -   | Boiler, T. L. & T. J. Sturtevant   | 488,229                       |
| e.  | Boring apparatus, F. Gardner   | 486,354                       |
| 8   | Box support, W. D. Smith   | 458,455                       |
| _   | Brake. See Car brake. Wagon brake.   | 400 949                       |
|     | Brooder, chicken, E. Barney  | 488,417                       |
| c   | Broom corn cleaner, F. W. Beese  | 498,251                       |
|     | Bucket, fire, J. M. Miller   | 499,321                       |
|     | Buckle, G. E. Adams  | 488,450                       |
| -   | Building, R. Quatermass  | 486,451                       |
|     | Button, bachelor, J. F. Platt  | 496,219                       |
|     | Cable crossing, W. Bowers  | 488,262<br>488,461            |
|     | Camera and photograph exhibitor, combined, W.  | 100,100                       |
|     | Camera and photograph exhibitor, combined, W. V. Ramond. Can body forming machine, R. D. Hunne. Can labeling machine, F. X. Gaudrie. Can labeling machine, Wright & Rogers. Car brake, H. Hinckley Car brake adjunter, L. T. Knowies. Car coupling, C. B. Martin. Car coupling, H. Schaeffer.  | 488,476                       |
|     | Can labeling machine, F. X. Gaudrie  | 486,273                       |
|     | Car brake, H. Hinckley   | 488,314                       |
|     | Car brake adjuster, L. T. Knowles  | 486,350                       |
| P   | Car coupling, H. Schaeffer   | 486,507                       |
|     | Car brake, H. Hinckley, Car brake adjuster, L. T. Knowies. Car coupling, C. B. Martin. Car coupling, H. Scheefur. Car coupling, J. A. & L. B. Williams. Car coupling, J. A. & L. B. Williams. Car coupling and buffing méchanism, H. C. Bu- Boub. Car fender, B. L. Crafts. Car fender, B. L. Crafts. Car fender, Gaunge & Schwidt. Car fender, Gaunge & Schwidt. Car fender, street, G. T. Hall.  | 488,490                       |
| ì   | houp   | 488,496                       |
| i   | Car draw gear, railway, T. A. Illeseil   | 488,326<br>488,386            |
| £   | Car fender, Gamage & Schmidt   | 488,353                       |
| 2   | Car railway dumping, G. Talbot   | 488,353<br>488,276<br>488,295 |
|     | Car safety attachment, R. L. Lynch   | 488,477<br>488,387            |
| f   | Car spring, G. Gibbs.  | 488,474                       |
| 9   | Car starter, W. Weaver.  | 486,462<br>486,179            |
| đ   | houp. Car draw goar, railway, T. A. Bissell. Car fender, S. I. Crafts. Car fender, Gamage & Schmidt. Car fender, Gamage & Schmidt. Car, railway dumping, G. Talbot. Car safety attachment, B. L. Lynob. Car safety attachment, B. L. Lynob. Car spring, G. Gilbbs. Car spring, G. Gilbbs. Car starter, W. Weaver. Car trolley stand, electric, E. M. Bentley. Cars by steam, device for heating railway, J. E. Howard.   |                               |
| t   | Howard.<br>Carbons, uniting broken pieces of are light, N. P.  | 496,203                       |
| ı   | Stevens  | 488,256                       |
| y   | Carbona, uniting broken pieces of are light, N. P. Stevens Carding engine, G. A. Ayer. Carpet cleaning apparatus, A. A. Pyle. Carteridge magazine for breech-loading smail arms, C. Schnippering Ceiling plate, metallic, L. L. Sagendorph. Chair. See Auditorium chair. Check, baggage, A. A. Glisson. Chocolate cutter, Ashby & Seyboid. Chopping knife, A. B. Schofield. Chords, instrument for drawing, W. H. Brown Clamp. See Rope clamp. Cleaner. See Broom cern cleaner.  | 498,256<br>696,177<br>488,323 |
|     | Cartridge magazine for breech-loading small  | 198,456                       |
| *   | Ceiling plate, metallic, L. L. Sagendorph  | 100,754                       |
| ij  | Chair. See Auditorium chair.   | 48B, 334                      |
| 9   | Chocolate cutter, Ashby & Seybold  | 198,493<br>198,289            |
| )   | Chords, instrument for drawing, W. H. Brown  | 100,007                       |
| 1   | Clamp. See Rope clamp.   |                               |
| 8   | Clutch, H. Bunker  | 136,383                       |
| 8   | Coal loading apparatus, P. Hest  | 186,704<br>186,211            |
| 3   | Coal washing machine, Gallacher & Lang   | 198,429                       |
|     | Coin-operated device, M. B. Goodkind   | 188,196                       |
|     | Colter W E Section   | 188,375<br>188,457            |
| 1   | Column, metal, J. H. Gray  | 88,274                        |
| 1   | Compound engine, H. C. Reagan, Jr.   | NS, 250                       |
|     | Concentrator, W. P. Ogden  | PB,528                        |
| 1   | Chords, instrument for drawing, W. M. Brown. Clamp. See Rope clamp. Cleaner. See Rope clamp. Cleaner. See Broom cern cleaner. Coal leading apparatus, P. Best. Coal separator, E. F. Long. Coal washing machine, Gallacher & Lang. Cockle separator, A. G. Miller. Coir-chart, J. White. Color-chart, J. White. Color-chart, J. White. Column, metal, J. H. Gray. Combound engine, H. C. Reagan, Jr. Compound engine, H. C. Reagan, Jr. Confectioner maching n. R. C. Robertson. Confectorer machine. Confectorer machine. Colorer, See Water cooler. Cotton to gins, apparatus for feeding seed, S. D. Murray.  | BR,400                        |
|     | Cotton to gins, apparatus for feeding send, S. D.  |                               |
| 1   | Murray   | 88,446                        |
|     |  |                               |
|     | Cultivator, A. Cowart.   | 88,270                        |
|     | Current motor, alternating, C. S. Bradley  | 88,306                        |
|     | currents, system of distribution for polyphase   | 98,207                        |
|     | Currycomb, C. J. & W. Schweim.   | 86,291                        |
|     | Diaphragm meter, J. B. Kuickerbocker   | 88,504                        |
| 1   | Dice thrower, coin-controlled, C. C. Ciawson 4   | 95,238                        |
| 4   | Crimping machine, A. Rottie et al. Cultivator, A. Cowart. Cultivator, listed corn, A. Woolstoncroft. Current motor, alternating, C. S. Bradley. Currents, eystem of distribution for polyphase alternating, C. S. Bradley. Currycomb, C. J. & W. Schwolm. Cycle stand, W. M. Justice.  Currycomb, C. J. & W. Schwolm.  Diaphramm mester, J. B. Kinckerbocker.  Chaphramm mester, J. B. Kinckerbocker.  Diaphramm meste | 86,388                        |
| 1   | Parpark.   | PR,218                        |
| 1   | Dye, basic yellow, Gnehm & Schmid  | 89,216                        |
| 1   | Dynamo regulator, C. J. Bogue  | 96,261                        |
| 1   | mended, F. P. Weish.   | 96,298                        |
| 1   | Electric motor, C. S. Bradley  | RR,2016<br>RR 196             |
| 1   | Electrical switchboard, J. W. Lyon   | 88,532                        |
| 1   | Elevator operating mechanism, C. E. Moore  | 98,526                        |
| -   | Embalming, T. Martin   | 16,338                        |
| 1   | Drill, clearance cutting machinery for twist, 0. Parpart. Dye, basic yellow, Gnehm & Schmid Dyelms apparatus, R. Nickles.  Bynamo regulator, C. J. Bogue. Electrical glitcht, device for raising or lowering sampled.  F. F. Welsh.  pended. F. F. Welsh. Electrical distribution box, W. H. Hart. Electrical switchboard, J. W. Lyon. Elevator operating mechanism, C. E. Moore.  Elevator safety attachment, L. W. Butler.  Embalming, T. Martin.  Engelne. See Carding engine. Compound onerna.  Gas engine. Rotary engine.   |                               |
| 1   | Extension table, J. F. Wiggers   | 96,465<br>98,312              |
| 1   | Fans, supporting frame for rotary, S. D. Shep-   |                               |
| 1   | peru   | 95,2565<br>95,461             |
| *   | Food water heater and purifier, J. MacDonald &   | 15,534                        |
|     |  |                               |
|     |  |                               |

| 426  |  |
|--|--|
| Pence machine, picket wiring, J. H. Prank. 486.3 Fence, metalik, J. G. Lindsay 486.3 Fence, portable, J. G. Orr. 486.2 Fence portable, J. G. Orr. 486.2 Fence stay, bedge, R. J. Griffin. 486.4 Fender, Sac Car Fender. 486.4 Filter, oh. J. Detas. 486.3 Filter, oh. J. Detas. 486.3 Filter, oh. J. Detas. 486.3  | 90<br>17<br>92                             |
|  |  |
| ton.  Pittering material, F. Laccar.  Pitre alarm appearatos, A. G. Davis.  Pirearm, recoll-operated magnatos, H. K. White.  Sire kindler, S. M. N. Rospers.  Plabing reed, J. vom Holde.  Pointe, electric, Burton & Angell.  Forge Surnacea, counter piece for the grates of, G. B. Webb.  Pranklinite and willeenite, treating, G. G. Con-  | 17 85 86 33 86                             |
| Franklinite cres, reducing, G. G. Convers. 488,4<br>Fruit picker, A. Hogg. 488,30<br>Formacce, method of and apparatus, for treating   | n  |
| the smoke and fumes of metallurgical, W. H. James  Faraiture brace tightener, H. L. Freeman. 68,38 Gauren. See Micrometer sauge. Garment fastener, F. E. Sennett. 69,17 Gas engine, J. W. Haymond. 69,68 Gas generating apparatus, O. Langberg. 68,30 Gas generating apparatus, O. Langberg. 68,30   | 8  |
| Gate. See Hallway gate. Sliding gate. Gearing, J. B. Touch. Generalor. See Steam generator. Governor, at brake, J. D. P. Schenck. Grinting mill, roller, D. A. Scallen. Guard. See Telephone guard. 68,36  | 3 000                                      |
| Guns, automatic shell ejector for breech-loading, M. A. Koller. Hammock frame, folding, H. G. Else. 488,37 Hammock frame, folding, H. G. Else. 488,27 Hammock frame, and the state of the s | 8 8  |
| Harrow disk, B. D. Arsold 680.5 Harrow spreador, L. C. Evans 680.5 Harvester, grain blothing, L. Miller 680.6 Hay coarrier, H. H. Durr 680.6 Hay press, J. J. Corley 680.6 Heater, See Feed water heater, 680.00 Heater, Heel lifte, sikving, H. O. Beach, 680.00  | 1  |
|  | 100 Fu                                     |
| Gun, astonastic shell ejector for breech-loading.  M. A. Keller.  M. A. Keller.  Haamoock frame, folding, H. G. Else.  480,31  Haarrow flak, B. D. Arnold.  Harrow J. W. Cason.  480,33  Harrow glak, B. D. Arnold.  Harrow glak, B. D. Arnold.  480,33  Harrow glak, B. D. Arnold.  480,33  Harrow glak, B. D. Arnold.  480,33  Hay carries H. H. Durr.  Hay persenter, H. H. Durr.  Hell Hras, skiving, H. O. Beach.  Heel Hras, skiving, H. O. Beach.  Heel Hras, skiving, H. O. Beach.  Helmet attachment, F. E. Drake.  480,18  Hinge, awaing blind, J. Sweeney.  480,18  Hork, H. P. Young.  Horse hitching device, L. House.  480,48  Horse hitching device, L. House.  480,48  Horse hitching device, L. House.  480,58  Horse hitching device, L. House.  480,59  Hoe arnow while motor, M. O. Lindsey.  480,50  Lo creeger, G. D. Massey.  480,50  Lo creeger, G. D. Massey.  480,50  Lindselon appearatus, C. William.  480,57  Lindselon  |  |
| Insect tran. C. F. Jolitz. 688,704 Ironing table, O. J. Bailey 688,704 Jacks, J. J. Adgate. 688,704 Jacquard card wire, A. & T. W. Beatley 688,704 Jacquard reschanism griff guide, O. W. Schamm. 688,724 Jewel softing machine, D. H. Church. 689,704 Kile. See Lamber drying kiln. Pottery kiln. Knife. See Chopping knife. Potket knife. Lace frastener, abox. A. Meyer Ladder, Frye & Pitman. 688,704 Lamp base, incandescent electric, F. C. Rockwell. 688,704 Lamp base, incandescent electric, F. C. Rockwell. 688,704  |  |
|  | 1  |
| Lamp socket and forminal therefor, J. Hutchin- son, Lands from overflow, system for protecting riparian, L. W. Brown. Lasting machines, J. R. Merrill. Laths, rotary, H. W. Tingley Lead, making white, Waller & Suffin. Leather wusching machine, F. W. Rodecker. Letter dox, house door, B. A. Biakeney. 48,439, Letter of credit, droughlar, H. Potter. Letter drock, the committee of the committee, properlying part of the committee, propelling goar for tramway, C. D.  198.484  |  |
| Loom barness leveling device, R. J. Risk 490,305<br>Loom shuttle, G. C. Moore  | -  |
| for, J. Coldwell Looms, shuitle operating mechanism for nerrowware, G. C. Moore. Lubricator. See Axle Jubricator.  | -  |
| Labricator, H. R. Lejeune  | -  |
| Metal wheels, B. Little  | -  |
| Meteer. See Diaphragm meter.  Micrometer gaase, J. P. Lavigne. 488,289, 488,381  Mitther, cow, W. M. Mohring. 488,289, 488,381  Mill. See Grinding mill.  Minling machine truns, L. H. Bradley. 488,349  Mould flank weight, J. Anderson. 488,349  Mole trap, G. Nelson. 488,489  Motor. See [Current motor. Hose motor. Hydralic motor. Mechanical motor. Spring  | 1  |
| Mowing machine, T. S. Brown 68,666<br>Musical instrument, E. W. Pain 68,462  | Name of                                    |
| Musical Instrument, electrically-operated string- ed, W. F. Gilman.  Necktle fastener, L. Greenwald.  88,255  Non-beat conducting covering, W. H. Morria.  88,256  Nossie, C. V. Follock.  Nut lock, R. G. Cowan.  98,139  Nut lock, J. E. Criep.  98,472  Nut lock, J. E. Criep.  98,472  Oar lock attachment, J. B. Livingston.  98,316  Oli burser, A. E. Harner.  98,316   | 0  |
| Oar lock attachment, J. B. Livingston. 698,338 Oli burser, A. E. Harper. 698,339 Ornament, osiling, N. Therien. 698,531 Overshoe retainer, rubber, M. T. Frinble. 698,334 Packing, pieton rod, J. B. Houston. 698,634 Padicek, Trosat & Siaymaker. 698,234 Padiock, Permutation, W. H. Belthoff. 698,536 Paint, anti-louling. A. L. Blunson. 698,536 Paint or varmish from wood, composition for re- moving. 6, L. Ball. 698,436 88,438  | CORCER                                     |
| Paper folding and pasting machine. T. C. Dexter. 48,271 Paper slot machine, tolled, F. E. Housi. 48,250 Paper tabes, machine for making, P. Carey. 48,384 Pencil, adding, C. D. Jadd. 48,236 Phonogram black, T. A. Milleun. 48,139 In 48,131 Phonogram, G. Bettin.  | H HHMMAN                                   |
| Placer machine, G. M. Reed   | NO PS                                      |
| Plow   R. G. Rossch   688,287   Plow   hand, J. I. Mettler   682,287   Procket knife, G. Skoglund   683,340   Pole, adjustable wagon, F. L. Wood   683,440   Pole or shaft prop. A. Scarlett   684,440   Pole or shaft prop. A. Scarlett   684,4   | S SSP                                      |
| Possery Risk, Actualizer a Water Press, 1882 Press, 288 | -  |
| Pump abstachment, A. E. Clancy. 690,191  Fump abstachment, A. E. Clancy. 690,201  Reliancy elevancy of Stills. 690,201  Reliancy elevancy of Stills. 690,201  Reliancy engagement of Stills. 690,201  Reliancy engagement of Stills. 690,201  Reliancy engagement of Stills. 690,201  Reliancy elevancy of Stills. 690,201  Reliancy elosed conduct for electric, I. O. Dion. 480,301  Reliancy elosed conduct for electric, I. O. Dion. 480,301  Reliancy elosed conduct for electric, I. O. Dion. 480,301  Reliancy elosed conduct for electric, I. O. Prossure  | MHCCH                                      |
| regulator. Rivet holder, J. J. Unbehend  | GHHLD-83                                   |
| Solary engine, J. H. Hamilton  | Diego I                                    |
| Sect. See Foirling seat.<br>Repurator. See Coal separator. Cockie separator.   | # 10 M O O O O O O O O O O O O O O O O O O |
| Sewer trap, E. Nowton.  60,300 Fewing machine for inciding boots or about, T. K.  Keith.  60,300 Fewing machine guids, G. H. Curtin.  60,300 Fewing machine guids, G. H. Curtin.  60,300 Fewing machine guids, G. H. Curtin.   | AUTHA                                      |

| Scientific   |  |
|--|--|
| Sowing machine tension device, L. La Chapelle. 48,20 Sowing machine tension device, A. C. Spencer. 48,20 Sheet metal, coating, E. Norton. Sheet metal plate, compound, W. B. Hollingabead Sheet metal shearing machines, pattern table for, C. A. E. Williams. 48,48 Shuttaer ractoner, F. Mesker. 48,48 Signal repeator, F. H. Patonall. 48,28 Signal repeator, T. H. Patonall. 48,28 Signal repeator of and machine for form- ing, C. A. Broughton. 48,28 Signal repeator, T. H. Signal repeator, T. Signal repeator, T. Signal repeator, T. Signal repeator, S. Signal repe | <b>神理の 4898 621 152362 17 236 59 95 1873978 9 524 47525978 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1</b> |
| Whiffletree book, D. Y. Wilson.         488,401           Wire mat, J. T. Howarth.         488,305           Wood pulp drainer, Newhall & Hamilton.         488,300           Wrench, J. H. Gregory.         488,401   |  |

### TRADE MARKS.

| Boots, shoes, slippers, rubbers, sandais, and analo-   | 22,301           |
|--|------------------|
| gous foot wear, N. Koch & Co   | 23,180           |
| Candles, Candy Bros.   | 22,191           |
| Choose, H. Prins   | 22,210           |
| Clears, cheroots, and eigaretten, and smoking.   | Aniazu.          |
| fine out, and plug tobacco, S. C. Herbet Im-   |                  |
| porting Company 22.213 to  | 92.218           |
| porting Company. 22,213 to<br>Cleaning preparations, clothes, Reliance Manufac-  | -                |
| turing Company   | 22,205           |
| Cornet shields or supports, E. Peeri   | 22,187           |
| Cornet, E. Schweinburg   | 22,196           |
| Cough balsam, H. M. Henderson  | 22,198           |
| Fire lighters, H. Hickman  | 22,308           |
| Gloves, Perrin Freres et Cle   | 22,185           |
| Hollow ware, enameled, Boas Brothers   | 22,201           |
| Knitted underwoar, Glastenbury Knitting Com-   |                  |
| pany.<br>Lard and its substitutes, W. J. Wilcox Lard and   | 22,198           |
| Lard and its substitutes, W. J. Wilcox Lard and  | 00.011           |
| Refining Company<br>Leather, kid, Wm. Zahn Leather Company   | 22,211           |
| Lemons and oranges, G. Villari   | 22,190<br>22,200 |
| Lubricants, American Shaft Holder Co   | 22,206           |
| Medicated gum drops, Sylvan Remedy Co  | 22,192           |
| Medicine, laxative, M. E. Ogborn   | 2,196            |
| Medicines, certain named line of proprietary.  | 20,000           |
| Turner-Shaker Medicine Co  | 22,294           |
| Mineral water, R. Avenarius & Co   | 339              |
| Oats, velvet meal, corn grits, and self-rising grid-   |                  |
| dle cake flour, Nebraska City Cereal Mills   | 22,213           |
| Pills and granules, L. D. Mereness   | 22,198           |
| Salve for eye diseases, Spitteler & Drexier<br>Soap and soap powders, Mexican Amole Soap Com-  | 22,197           |
| Soap and soap powders, Mexican Amole Soap Com-   | -                |
|  | 23,306           |
| Soup, industry and totter, w. Gossage & Souls E.Mil.   | 23,302           |
| Soap, soft or liquid, G. W. Dyarman  | 25,204<br>22,179 |
| Tonics temedies for discusses of the liver and   | NA'TIR           |
| Tonics, remedies for diseases of the liver and<br>blood and for bilious disorders. F. P. Davis   | 22,195           |
| Watches, Hampden Watch Company   | 22,180           |
| Wateries and portable clocks, W. C. Ball   | 22,161           |
| Whiskey, J. Oiwell & Co  | 2339             |
| Whiskey, J. Olwell & Co.<br>Wringers, American Wringer Company 22 25 to  | 236              |
| The state of the s | -                |
|  |                  |

#### DESIGNS

| J | DESCRIPTION  |
|---|--|
| ł | Bar pin, E. H. Croninger   |
| 1 | Brick or stone, F. Laplante  |
|   | Coin operated machine case, J. B. Lighton  |
|   | Curtain pole, C. Hussey  |
|   | Fan, M. Carranna   |
|   | Glass vessel, D. E. Mapother   |
|   | Handle for cames, etc., H. B. Snyder   |
|   | Handle for spoons, etc., A. F. Jackson 2001, to  |
|   | Locket, L. J. Roehr  |
|   |  |
|   | Spann, etc., G. U. Roulet.   |
|   | Spoon, etc., G. B. Stocking  |
|   | Tile, lining, Curtis & Jones   |
|   | Trimming, dress, B. Lipper   |
|   | Attended to the Dr. Antipolitics and an account of the Contraction of the Contract of the Cont |

# arner's Burglar

The SAFEST, NEATEST, LIGHTEST, yet STRONGEST LOCK for HOUSE DOORS ever manufactured.

Packed in box with 50 Cents. Made of Steel and ABSOLUTELY Burglar Proof.

### Warner Lock Co.

Manhattan Building,

CHICAGO, 1LL,

### Movertisements.

Inside Page, each insertion - - 25 cents a line
thack Page, each insertion - - - \$1.00 a line
The above are charges per sgate line—about eight
words per line. This notice shows the width of the line,
and to set in agate type. Engravings may beed advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be
received at Publication Office a early as Thursday
morning to appear in the following week's issue.

## BEST PLASTERING MATERIAL KNOWN. No experiment. Its success has been phenomenal. Thirty factories in this said other countries. ADAMANT MFG. CO., SYRACUSE, N. Y. ADAMANT WALL PLASTER

Patent Foot Power Machinery, Complete Outfits. d or Metal workers without power can successfully compete with large shope, by using our Ne LABOIL SAVING Mechiner intests and most improved for fractic Shop Le, also control of the saving shop to the saving state of the saving shop to the saving saving

Improved Screw Cutting Foot and Power Drill Presses, Shapers, Band, Circular, and Scroll Saws Machinists' Tools and Supplies. Lathes on trial.

SEBASTIAN LATHE COMPANY, 120 and 122 Cuivert Street, Cincinnati, O.

## The Sebastian-May Co Improved Screw Cutting

Drill Presses, Chucks, Dril and Machinists' and As Jutilita. Lather on trial. 165 to 167 Highland Ave., SIDNEY, OHIO.



TELL DRILLING MACHINERY, WILLIAMS BROTHERS,



WELLS

The BEST MACHINERY and TOOLS in the world for

Horse Powers,
Steam Engines,
Pumps&Valves,
Iron Pips and Fitting, Well Supplies. Honest and reliable work
assured. Ostalogue mailed Free.
LOOMIS & NYMAN,
TIFFIN. OHIO.



ARTESIAN and Mounted Steam Drillin Machines for 100 to 1,000 feet Write us stating exactly what it equired and send for litustrat ed catalogue. Address 60 Beaver Street, New York.

## OIL WELL SUPPLY CO. 91 & 92 WATER STREET, Pittsburg, Pa., Manufacturers of overything needed for AFCTEDMAN WELLS for either Gas, Oil, Water, or Mineral Tests, Botiers, Engines, Pipe, Cordage, Drilling Tools, etc. Illustrated catalogus, price lists and discount sheets on request. CHICAGO WATCH CO., 281 Wabsen Ave.





## The Cheapest, The Best

ICE-HOUSE AND COLD ROOM.-BY R. G. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC AMERICAN SUP-PLEMENT, 59. Price 10 cents. To be had at this office and from all newwices in the price of the cents.



New Full Mounted Lightning Screw Plate,



Wiley & Russell Mfg. Co., Greenfield, Mass., U.S.A.

A Primer on Inventing, Or rather on mechanical helps to invention, experiments, investigation, etc., sent free, to advertise our machine shop. THE JONES BROTHERS ELECTRIC Co. CIN'TI. O.





**GOLD PLATED** WARPANTED GENUINE. BOX JOINTS.

DRILL CHUCKS. Write "THE PRATT CHUCK CO.," Clayville, N. Y., U. S. A., for free illustrated catalogue of P098171VK DKIVING DKILL. CHUCKS. showing the enly perfect system ever devised for bolding and driving drils.

Foreign Agencies: Ph. Boux et Cle., 54 Boulevard du Tempie, Paris, France. E. Sommenthal, Jr., Nuou Prenade, No. 5, Berlin. Germany. Selig, Sonnenthal & Co., 55 Queen Victoria Street, London, E. C., Engiand.

## BUILDERS OF HIGH GRADE BOATS.



We Build Everything, from a Canoe to a Steam Yacht.

Complete Stock Cars, Sweeps and Boat Trimmings.

We Make all Sizes Pipe Boilers and Engin Cedar flow Beats from \$25 upward. Vapor and Steam Launches from \$300 upward.

SEND 106, FOR COMPLETE CATALOGUE,

DAVIS BOAT AND OAR CO., DETROIT, MICH., U. S. A.



| ILLUSTRATIONS.  | Freight car, improved  | Railroad Ines, Virginia  | MISCELLANY.  | Blindness, color. Blower, rotary, Hamilton's. Blower, rotary, Hamilton's. Bost, troitelt, lake. Bost, tsubmarine, Bakee. Bost, submarine, Bakee. Bost, tsubmarine, Bakee. Bost, tsubmarine, Bakee. Boats and carriages, electric. Boats and carriages. Boats and carriages. Bodier septosion, interesting. Boiler feed, automatic.  Solier feed, automatic.  Solier feed, automatic.  Soliers, defective.  Soliers, sugar in. Boilers, defective.  Soliers, sugar in. Boilers, defective.  Boring, deep, at Schladebach. Borneo, India rubber.  Borneo, India rubber.  Boston, trolley system in.  Boston, trolley system in.  Boston, trolley system in.  Boston, trolley system in.  Boston, electric cars in.  Boston, electric cars in.  Boston, electric cars in.  Boston, trolley system in.  Brain, a historian's Brain substance, injection of.  Brass, coloring blue.  Bread and yeast.  Breick pavements.  Bricks, Japanese  Bridge, great, at Memphis.  Bridge,  |
|---|--|--|--|--|
| A ship, Barnes' 180   | Fuse igniter, Doyle's  | Residence, Bridgeport  | Figures preceded by a star (*) refer to illustrated articles.  | Boats and carriages, electric Boats torpedo, fast  |
| e lamp, improved  | Gas motor, large.  | Effe, Bruce, magasine  | A Acid, nitric, bacteria   | Body, human, garrison of<br>Bohemia, hop growing in<br>Botler explosion, interesting   |
| mature, a large   | Gas sewer, consumer  | Road cleaner, Astor's  | Acid, nitric, bacteria. 2 Acid, phenic, to preserve beets. 96 Acid, phosphoric, solubility. 277 Acids, fruit. 381 Acids of fruits. 113 Aerolite in Sahara. 366   | Boiler feed, automatic   |
| п   | Gas motor, large. Gas, natural, Stockton. Gas, sewer, consumer. Gauge, pressure, new. Gauge, surface, Carr's Gear, winding, improved. Glass polishing machine. Glass wire. Glass wire.   | Hocking chair ran 24-<br>78 Rod and ring experiment 36-<br>Rubber balls, inflation of 36-<br>Rubber shoes, manufacture 36-   | Aerolite in Sahara   | Boilers, sugar in  |
| by carrier  | Gold finder Gold, sunken, search for   | 81   | Agato bridge, Arisona. "55 Agavose 580 Air ship, Barnes" 150 Alarm, low water 581 Alaska saimon, protection of 587 Albumen in photography 587 Alcohol in surgery 315   | Boring, deep, at Schladebach Borneo, India rubber  |
| oy carrier  | Greenland, a winter in   | Saltpeter Cave, Va   | Albumen in photography   | Boston, trolley system in  |
| tery cups, porous   | Hamburg, cholera streets 8   | Sanguir, destruction   | Alloy fead, new 5 Alloy resembling gold  | Boy, advice to a   |
| wer, rotary, Hamilton's   | Hamburg, cholera streets.  Hanger, Duke's Harbor of Baku. Harper's Ferry, view mear. Harvester, cotton.  | Sawmill scraper.   | Alloys made by compression   | Brass, coloring blue   |
| el in lion's cage. 419 ds, mechanical. 70 wer, rotarr, Hamilton's 56 dt, freight, lake. 32 dt, submarine, Baker. 71 dt, sorpedo, Tuck. 71 ting and cycling machine. 28 der furnace, Hurdiey's 26 der furnace, Hurdiey's 26 der furnace, Hurdiey's 26 der machine. 27 dx machine. Harlan's 36 ige, Joan River. 467 ige, Harlen River. 467 ige, Harlen River. 415 | Harper's Ferry, view near 4 Harvester, cotton. 5 Hatch door. 5 Hatch door. 5 Hatch door. 5 Hatch door. 6 Hatch door. 7 Heilochromocope, the 1 Hollochromocope, t | Saitpeter Cave, Va   | Albumen in photography 577 Alcohol in surgery 312 Alboy, aluminum, new 244 Alloy, lead, new 5 Alloy resembling gold 48 Alloy for soldering 'aluminum 147 Alloys of fron or steel 256 Alloys made by compression 322 Almonds, oil of sweet 369 Alphabet, use of letters of 156 Alum, manufacture of, in India 37 Aluminum alloy, new 244 Aluminum, improvement of 178 Aluminum, matt  | Brick machine. Harlin's*<br>Brick pavements<br>Bricks, Japanese  |
| t threading machine   | Heron hunting  | Section liner and scale divider 211<br>Sewage system, Sydney 39<br>Sewer gas consumer 236  | Aluminum plating in archit   | Bridge, great, at Memphis. Bridge, Harlem River  |
| ige, agate, Arisona   | Holystoning machine. Horn, musical   | Shelf, corner  | American Ame | Bridge, railway, fall of   |
| ige, Harlem River. 415 ige, railway, fall of. 407 ad St. statton. Philadelphia. 291 oklyn water tower. 143 kef, Ruse's . 430 iding, Manufactures, Fair. 262   | 1  | Ship, air, Barnes'   | Analysis of coal tar prep 275 Analysis of iron   | Broad street station, Phila  |
| ding, Manufactures, Fair  | Illumination, electric. mast   | Ship of war, loss of a   | Animals, color of  | Brooks, W. R., prize to  |
| C   | Instrument, mathematical, new I  | Snow sweeper, electric   | Ants, black and red. 5 Ants and mites. 34  | Brushes, painters'   |
| tera cane   | J<br>Jaffa and Jerusalem Pailway S   | section liner and scale divider. 211 Sewage system, Sydney. 39 Sewer gas consumer. 23 Ship santa Maria. 38 Ship santa Maria. 38 Ship Santa Maria. 38 Ship of war Columbus. 34 Ship of war Columbus. 34 Ship of war columbus. 35 Soap bubbles, manufacture. 35 Soap bubbles, thowing. 34 Speech, inscription. 36 Spectacle, wgird. 9 Speed indicator, new. 21 Squadron of Columbus. 39 Stamp, dating. 34 Stamp, dating. 34 Stamp, dating. 34 Status for World's Frair. 36 Status for World's Frair. 36 Status for World's Frair. 36 Stean whistles, Improved. 36 Stean whistles, Improved. 36 Stean whistles, Improved. 36 Stean whistles, Improved. 36   | Aluminum, improvement of 178 Aluminum, matt. 178 Aluminum, matt. 178 Aluminum, matt. 178 Aluminum, matt. 178 Aluminum, soldering for 188 Aluminum, soldering for 188 Aluminum, soldering for 188 Amachia, dangers 288 Amalysis of coal tar prep 279 Analysis of coal tar prep 279 Analysis of coal tar prep 279 Animals, albino 28 Animals, color of 188 Animals, strength of 188 Animals, strength of 289 Antimony, through electrolysis. 217 Antiquity, Egyptian marvei 276 Antis, black and red 5 Ants, black and red 5 Ants and mites 24 Apiaries of Utah 389 Applies as medicine 280 Apricot industry, Dumascus 6 Apyrice 216 Arabla 289  | Building, New York, at Fair Buildings, World's Fair Buoy service, electric light   |
| tera cano tera convenient. 5 tera, convenient. 5 tera, copying, holder 98 tera, seld glass 201 tera, hand, improved 179 oil, improved. 56 c, patotgraphic. 307 rounder Greenlee's 5   | Jets, water, experiments R   | Stamp, dating 146 Stars, study of the 199 Statue of William Penn 771   | Apyrite  | Business, diligence in   |
| ron of the Colorado 57<br>coupler, Greenlee's 5<br>coupler, Quatermass 6  | L<br>Laboratory of Eiffel tower 11   | Statue for World's Fair.   262   Steam engine, rotary.   146   Steam whistles, improved   50   Steamer, Atlantic, design   296   Steamer Chotaw   115   Steamer Chotaw   115   Steel works, Carnegie   11   125   Stockton, natural gas.   47   Stockton, satural gas.   47   Stoc | Architecture, aluminum piat, tn. 700 Arizona, petrifactions of   | Butter microbes 1<br>Butter Scotch 1   |
| ron of the Colorado.  ocupler, Greenlee's. 5  coupler, Quatermass' 66  coupler, Violett's. 130  raitroad, Williams' 82  street sprinklins. 190  legie Steel Works. 111, 125  sa foster mother 137  , saltpeter, Va. 405  , reading. 66  | Laboratory of Eiffel tower. 12 Lambert's Point, Norfolk 46 Lamp, are, improved Lamp, incandescent. imitation. 12 Lamps, incandescent. 22 Lambert, projection. 27 Launch, electric, new 27  | Steamer Choctaw  | Armor, American progress   | C Cabbage insects, remedy for 2  |
| as a foster mother  | Launch, electric, new  | Stovepipe ventilator   | Armor plate planing. *371 Armor plate, rolling. *133 Armor plate tests. 119 Armor plate triels and results 160   | Cable plant, new   |
| cedony Park 55<br>age maker and receiver. 418<br>& box, automatic 370   | Lifting apparatus, beton 15<br>Light, electric, masthead 15<br>Light, search, submarine 16   | Sword trick, a   | Arrow poison, N. Hebrides  | California gold  |
| . salupeter. Ya   | Launch, electric, new  | T  | Artand photography   | Camera, convenient   |
| k with electric chimes  | Lion, stalking a. 10 Liquid measurer 17 Lock, nut, improved. 21 Locomotive, underground 3  | B Pachometer new 911   | Asthma, ice for  | Camera, hand, improved   |
| n-towering apparatus. 40 ar breast . 366 rado, grand canyon of . 87 rado river dam . 191 mbia, cruiser . 84, 167 mbus, bortrait of . 246  | M  | Telephone, electro-mechanical. 339 Telephone, new. 82 Telephony, long distance 385   | Arsenic, post-mortem imbib. 144 Arsenic in prints. 246 Artand photography 246 Artand photography 38, 144 Association, American 128, 144 Association, American 188, 144 Association, British 186 Astonomy and photography 5 Astronomy and photography 5 Astronomy work in, Harvard 388 Aurumine as dye color 249 Auruina, new star in 200 Auroras, height of 49 Austin, Texas, dam 957 Aso-Bordeaux 307 Aso-cochineal 307 Aso-cochineal 307 Asurite crystallizations 108  | Cabbage insects, remedy for Cable survey, completion   |
| mbia, cruiser. 84, 167<br>mbus, Christopher. 85<br>mbus, portrait of. 246   | Machine tools, English   |  | Aso-cochineal  | Canal, new, in Japan   |
| mbus, ships of 70<br>mbus in West Indies 248<br>pass, miner's 114<br>on harvester 375   | Mars and the moon. 11 Masthead Illumination. 15 Mausoleum, the Gould. 37   | Therapeutics, vibratory 265 Thermal, W. Va., view near. 399 Thief catcher, electric. 99 Tiger, royal, Bengail 419 Time recorder, electric 195  | n  | Dancer, methyl violet vs 1   |
| on harvester  | Map of grand canyon.  Mars, looped path of.  Il Mars and the moon.  Masthead illumination.  Is Mausoleum, the Gould.  Metals under water, detecting.  Microphone, hydraulic, Bell's.  Mill, or pulverising.  Mill, uggar cane.  Moon and Mars.  Il Mortising and boring machine.  Motor, electric, Onic.  Motor, electric, Onic.   | Time recorder, electric. 115   Timepleces, ancient. 163   Tivoll, electric station. 214   Toad, Burinam. 217   Tomb, Jay Gould's. 377  | Baby carrier   | Candy, taffy 11 Cane, new variety of   |
| on dam, new   | Moon and Mars 11 Moortising and boring machine 33 Motor, electric, Onig's  | Tomb. Jay Gould's  | Bacilli of human body  | Amore, pastes for 2 Landy, taffy Lane, new variety of 1 Lane, new variety of 2 Lane, new tariety of 2 Lane, new tariety of 3 Lane, new tariety of 3 Lane, new tariety of 4 Lane, new ta |
|   | Motor, electric, Onig's.  Motor, electric one dollar.  Motor, ether, ile Susini's.  Motor, gas, large.   | 5 Tomb. Jay Gould's  | Bacteria nitricacid  | Car builders' convention   |
| D   | Motor, gas, large 88 Motor, steam, rotary 14 Movement, mechanical, new 27  | Tramway, nitroglycerine  | Badge, design for  | lar railroad Williams' 995   |
| Colorado River 191<br>Croton, new 15<br>River bridge  | N<br>Neck yoke, Rothrock's 17  | Trick, sword, a  |  | Ar, street sprinkling °17 Ars, electric, in Boston 22 Ars, heating by steam 25 Ars, palace, profits of 31  |
| River bridge 477 c cleaning machine. 66 washer, improved. 270 ribution, electrical 365  | Newberry, John Strong. 48 Newport News, Va 40 Newport News, Va 40 Nitroglycerine, bandling. 36 North Company C | Tunnel, Prince Edward Island 348 Turret, disappearing  | Bamboo in China  | lars, storage battery 31   |
| n pipe laving 18  | Nitroglycerine, handling   | Turret, disappearing 63 Turrie, great headed 283 Twins, Bohemian 408 Twins, Orissa 275 Typewriter, "Simplex" 211   | Basement, a deep   | arrioge steel works  |
| oup vinduct   |  |  | Battoet chloride of silver   | arringes and botts, creekers.  arringes parade.  astings, cleaning.  astor oil, sweet.  at as a foster mother.  astalocus, remarkable.  2 astalocus, remarkable.  2 and astalocus, remarkable.  2 and astalocus, remarkable.  3 and astalocus, remarkable.  4 and astalocus, remarkable.   |
| ling, Bridgeport 336 amo armature, large 342 amo and motor, simple 31 amo, Henrion 386  | Oil can, improved  | Valve, regulating, Farrand's 408 Valve, safety, Kunkie's 18 Valve, slide, balanced 18 Valve, slide, balanced 18 Valve, water, mammoth 346 Valve, water, mammoth 366  | Battery caps, porons. 98 Battery, gas, new form. 97 Buttery, storage, Logan. 24 Battery, storage, Logan. 24 Batter, storage, monopoly. 261 Battle of New Orleans, second. 176 Battleship, engines of. 313 Battleship Texas. 37 Bauxite. American. 152 Beach, Moses S. 30 Beach, Moses S. 30 Bedford, P. W. death of. 186 Bedford, P. W. death of. 186 Bedford, P. W. death of. 38 Bedford, P. W. death of. 38 Bees, parasitism in 322 Bees, parasitism in 322 Bees, parasitism in 322 Beer, enormous production. 34 Beer seed California. 277 Heet julce in bollers. 338 Beet seed California. 338 Beet seed Seed Seed Seed Seed Seed Seed Seed  | atalogue, remarkable   |
| R   | Otocyon, the   | Valve, side, balanced 18 Valve, water, mammoth 26 Vashti, electric launch 279 Ventilator, stovepipe 36   | Bauxite. American 152 (Bauxite. American 152  | lement, universal  |
| ator shaft closing device 259<br>roidery frame 82   | Packing and gaskets  | Viaduct, Du Loup. 67 Virginia, natural resources of. 39 Volcano of Etna. 51 Volcano of Stransvirs  | Beaming, new process 160 Bedford, P. W., death of 185 Bee, the coming 89   | ements 22 hair, reading 6 halcedony Park 6 hange maker, improved 41  |
| roldery frame 82 ne, ether, De Susini's 259 ne, gas, large 256 ne, rotary, Betten's 146 neering works, New York 319 neration, homogenetic 19  | Palm, stove, new   | Volcano of Sanguir   | Bees, night of   | hariotte de Russe  |
| neering works, New York 319<br>neration, homogenetic 19<br>slope and wrapper 388<br>r motor, De Susini's 369  | Peary, Mr. and Mrs. 31 Penn, statue of, for Fair. 37 Perfume extracts, congealing 30   | War ship Columbia  | Beer seed, California  | heese microbes   |
| lene apparatus  | Packing and gaskets.  Palm, stove, new   |  | Bect sugar, disease of 27 (Bect, sugar, disease of 28 (Bect, sugar, preservation 28 (Belt telephone patent 29 (Belt, driving, tests of 40 (Beton, manufacture of 243 (Beton, manufactur | hicago trainage cana<br>hicago tunnel, new 3<br>himes, electric 22<br>himes, iron tall 446<br>hoctaw, steamer 111<br>holera hacillus, the 30<br>holera, management of 39   |
| LEMINAMI OF OBJECTS 249 1   | Pine fitters tool for  | Water closet, "Queen". 256 Water jets, experiments with. 105 Water jets, experiments with. 105 Water pipes, flexible. 310 Water pipes, flexible. 310 Water power, utilisation 96 Water, sterilisation of. 22 Water comer Browlers. 148   | Reton, manufacture of  | holore precentions vs. M5  |
| Woold's buildings   | Pirate, launch of  | Water valve, mammoth 246<br>Water works, Plainfield 290  | Ricycling, fastest   | holera ship of 1858, a 202   |
| World's, buildings 175<br>of bodies, experiments 181<br>Nlagara, utilizing 247<br>rocking chair 342   | Pressure gauge, new SPrints, stereoscopic SProjections, polychrome Trychoraphia Augusta SPrunp, fire engine 111 Pump, fire, steam 116  | Waves, oil on   128  | Birds, canary, German  | hronology, comparative   |
| rocking chair. 242 hats, manufacture of 166 e, Baker's. 5 e, wire, of 1660 318 l, Cyrus W 58  | Pump, fire engine  | Window screen, Dodge's 162   | Birds, longevity of  | holers streets, Hamburg "est hromagen 1 33 4 hromology, comparative hrysanthemums, edible 2 2 incinnati, cruiser 2 20 ities, stone, and titles, and |
| ig apparatus  |  | Wire glass. 257 Wolf, black, American. 41 Woodworking machine. 388   | Birdiand, an ancient   | lock, ancient  |
| ers, care of 179 ers, cut, arranging 186 tht boat, lake 322   | Rack, pen  | V  | Bitumen oil and gas. 210 C Blast furnace temperatures. 207 C Bleaching processes, new 121, 340 C Bleaching straw. 207 C Bleaching woolen fabrics. 6  | lote, metalizing   |

| dnoss colos   | Coal gas, oxygen purification 417  |
|---|--|
| dness, color  | Coal mines, Maple ittl   |
| t from ht lake  | Coal tar preparations. 275   |
| to Albinanto Bahan 803  | Coal tar preparations 275  |
| t, submarine, Baker   | Cocains fatalities   |
| t, torpedo, Tuck  | Cocains Intalities   |
| is and carriages, electric au   | Cocoanut brushes   |
| ts. torpedo, last   | Cod liver oil  |
|   | Coffin lowering apparatus*166  |
| y, human, garrison of 165<br>emia, hop growing in 67  | Colinage, eye-opener on. 391 Colina electric counting of. 32 Couns, far, Memorial. 112 Cor brushes. 120 Coke works, model of. 51 College, Subjer, new scholarship. 2 |
| emia, hop growing in 67   | Coins, electric counting of 52   |
| er explosion, interesting 401   | Come, Fatr. Memorial 112   |
| er feed, automatic  | Corr benabes 130   |
| er furnace Hurdley's %0   | Coke works model of 51   |
| er room mistakes in a 101 909   | Collar broad #900  |
| ore defective   | Colloge Sthler new scholasskip 0   |
| er exploion, interesting. diler feed, automatic. diler funace. Hurdley's. %0 er room, mistakes in a. 101, 262 ers, defective. dilers, defective. dilers, defective. dilers, defective. dilers, sugar in 362   | Color bilindness   |
|   | Color Dimaness   |
| 380   | Color, a new 342   |
| threading machine*178   | Color, notes on 229 Color photography 387 Color in plant life 277  |
| ng, deep, at Schladebach 84   | Color photography  |
| eo. India rubber 162  | Color in plant life 277  |
| -borax  | Colors, aso, new 207   |
| on, electric cars in  | Colors, complementary 276  |
| on, trolley system in 200   | Colors from metals   |
| av of human beings  | Colors, photography of   |
| llie Bordelaise 370   | Colorade, grand canyon of *87  |
| lite Bordelaise   | Colorado River dan: *197   |
|   | Columbia cruiner *107  |
| a historian's 348   | Columbia ornicor inunch of   |
| ambatance injection of  | Columbia Stran fettles 900   |
| a soloring blue   | Columbian applyonance of 1930 900  |
| d and roset   | Columbia Christopher   |
| toons Mossombiers   | Columbus, Caristopher  |
| 1, a historian's 348 n substance, injection of. 9 s, coloring blue 4 d and yeast 286 leeps Mossambicus 227 t machine, Hariin's 966  | Columbus Day, cerebration 113  |
| k machine, marin a  | Columbas drinking fountain 309   |
|   | Columbus, portrait of249   |
| ts, Japanese  | Columbus, vessels of *79   |
| ts, Japanese 51<br>ge. agate, Arisona 985   | Color photography.  Color in plant life  |
| ge, great, at Memphis. 21 ge, Harlem River  | Combistion, spontaneous 135  |
| re, Harlem River*415, 421   | Comet, Brooks'   |
| re, New York and B'klyn 56  | Comet, an approaching 341  |
| re, railway, fall of  | Comet, new 181, 336  |
| res, test for 21  | Comet, new, discovery of 273   |
| report, residence at *326   | Compass. miner's*114   |
| of & the Chicago Expos 198  | Cores, paper of  |
| d street station, Phila*291   | Corneob pipe industry 358  |
| klyn bridge railway 298   | Costa Rica 115   |
| klyn Institute Arts 2   | Cotton harvester 9775  |
| klyn water tower *142   | Cotton industry of the U.S 300   |
| ka, W. R., prize to   | Cotton manufacture   |
| n.Sequard's treatment   | Cotton picker, Hyde's 9901   |
| hes cocoanut 190  | Cotton production world's 974  |
| nes, painters' 120  | Cotton, surgical   |
| et Ruse's 9770  | Coughs, horseradish in 209   |
| re, railway, fail of *a@z ree, test for '11 report, residence at '256 ol & the Chicago Expos. 198 d street station, Phila '251 klyn bridge railway '258 klyn frigge railway '258 klyn water tower '42 klyn water tower '42 klyn water tower '42 klyn water tower '25 hlyn water tower '25 hlyn water tower '25 hes. cocoanut '26 hes. painters' '29 et, Ruse's '270 ing, Liberal Arts '278 ing, New York, at Fair '17 ilungs, World's Fair '482 service, electric light '53 s. modern 164 | Coupler car Graenlee's 36  |
| ing. New York, at Fair. 17  | Coupler, car, Greenlee's   |
| lings World's Pair  | Compling car Ountermans'   |
| 1895   Vorid's Fair   185     Service, electric light   | Coupling, car, Quatermass' *66<br>Cow, Jersey, record of a &i<br>Cowberry plant for rhoumatism 200   |
| modern 184  | Cowhorer plant for shownestiem 900   |
| one dillegrap in 980  | Comba migratory 944  |
| tess, uniquence in  | Crabs, migratory   |
| lens, tensfilling 101   | Crank, tinkering 3   |
| m microbos  | Crosm taffy  |
| or Glactah  | Crocodile bird, footprints of 178  |
| or Scotten 194  | Croton dam, new  |
| 17 19 19 19 19 19 19 19 19 19 19 19 19 19   | Croton trees, danger of 211  |
|   | Croup, remedy for 100  |
| C   | Cruiser Cincinnati 330   |
|   | Cruiser Columbia*167   |
| age insects, remedy for 211   | Croup, remedy for 160 Cruiser Cincinnati. 320 Cruiser Columbia. 9167 Cruiser Columbia. 984   |
| plant, new  | CHIMPU Steamers, Liew  |
| survey, completion 7  | Cups, porous, battery 46   |
| s, street railway 78  | Currents, lake, drift of   |
| ne, new use for 6   | Cut-loose, fire department *96   |
| plant, new 217 survey, completion 7 s, street railway, 73 ne. new use for 6 rnia roid 500 rnia vine disease. 341 sel in hemorrhoids. 18 ra cane 407 ra, convenient. 45  | Cycling and boating machine The  |
| rnia vine disease   | Cyclones and cities  |
| nel in hemorrhoids 18   | Cmar, son of, treatment 101  |
| ra cane   |  |
| ra, convenient *36  |  |
|   |  |

| Cuar, son of, treatment  | 101   |
|--|---|
| D  |   |
| Dakota, tin mines of   | 49<br>197<br>*15<br>67<br>808<br>*66<br>187<br>228<br>201<br>813<br>129 |
| Depopulation of France  Dermatol  Desert of Sahara  Developer, new | 81<br>105<br>164<br>345<br>989<br>80                                    |
| Discharge, electric, peculiarities. Dish washer, improved          | 184<br>304<br>870<br>342<br>342<br>4<br>855                             |
| Divining rods  | 114<br>153<br>153<br>163<br>161<br>181                                  |
| Drainage of Lake Angoline  | 134<br>161<br>181<br>184<br>174   |
| Dwelling, Bridgeport   | 61<br>63<br>40<br>42<br>87<br>86  |
|  |   |

| 130                                     | N.  |
|---|---|
| 149                                     | W1 6004   |
| of 360                                  | Eagles, sea P21   |
| 225                                     | Earth, crust of, folds 200                                    |
| *66                                     | Earthquake in Bermuda 196                                     |
| *************************************** | Earthquakes, American 872                                     |
| 418                                     | Edison honored 66   |
| 322                                     | Edison, village of  |
| *************************************** | Education and invention 130                                   |
| 289                                     | Education in New Mexico 185                                   |
| 198                                     | Education for young men 300                                   |
| 128                                     | Electric power in coal fields 418                             |
| 249                                     | Electricians, of interest to 16                               |
| 38                                      | Blectricity, carpet 48  |
| *************************************** | Electricity in chemical indust. 300                           |
| 9402                                    | Electricity, discharge of, pecul., 194                        |
| *************************************** | Electricity as mode of motion ??                              |
| 300                                     | Electricity vs. steam ?                                       |
| 300                                     | Electricity, terms in 164                                     |
| 184                                     | Electricity, water power 226                                  |
| 145                                     | Electrification of steam jets 229                             |
| 108                                     | Elevator shaft closing device. *256                           |
| 302                                     | Embroidery frame  |
| *087                                    |   |
| 34                                      | Enameling silver prints 51                                    |
| 144                                     |   |
| 23                                      |   |
| 890                                     |   |
| 81                                      | Engines, effect of jacket 401<br>Engines of a battle ship 318 |
| 100                                     |   |
|   | Engineers, cheap  |
| *150                                    | Engineers, mechanical, society 401                            |
|   | Engineers, naval  |
| 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5   | Engineering feat great  |
|   | Engineering in Japan  |
|   | Engineering works, New York *385                              |
|   | Enumeration, homogenetic *10                                  |
| 64                                      | Envelope and wrapper338                                       |
| *************************************** | ministrated uppr an analyter                                  |
|   |   |

| 428  |  | Scientific   | Ameri   |
|--|--|--|---|
| Rpidermin  | Horse, a church-going H  | Memory, unique, mathematical., 417   | Photo-detective,<br>Photographs, col<br>Photographs, fad  |
| Epidermin. 19 Eraption of Ella. 6 Erystpelas, treatment of . 5 Estivation . 1  | Horse, a church-going  | Memory, unique, mathematical. 417 Memphis bridge   |   |
| Estvation Ether motor, De Susini   | House heater needed  | Menthol. 366 Mercary, how to purify 366 Metal decoration 310   | Photography and<br>Photography at tl<br>Photography, cole<br>Photography, elec  |
| Ethylene Etha eruption of  | House neater needed. Horse trottisg, improvement 'B Howe, war slip, lose of. Hinckieberries as a remedy. If Hungary, miners' wages in. If Hungary, miners' wages in. If Hypnotism.   | Metals, colors from. 376   | Photography, cole<br>Photography, elect<br>Photography, hig<br>Photography in p<br>Photography ma   |
| Exactness, difficulties of.  Exactness, difficulties of.  Exercise, bodily, advantages.  Exhibition, mine relogical  Expedition, point, Peary.  Expedition, relief, l'eary.  Translation, relief, l'eary.  | Hydrophone   | Metaliting cloth. 304 Metoor, man kil ol by 288 Metoors of November 384 Meteorite, gigantic. 388   | Photography, ma<br>Photography, not<br>Photography of e<br>Photography, pol<br>Photography, pro<br>Photometer, elect<br>Photo-prints in co  |
| Expedition, polar, Feary. 18 Expedition, rellef, Feary. 1 Explosive, new 19 Exp.osive, new, herculite. 18  | 71   | Meteorite grantio  | Photography, pro  |
| Exposite new herculite   | fee for asthma   | Miantonomoh turret ship  | Photo-ceulpture,<br>Photos that yield<br>Physiciaa, family<br>Pictures, frost, ph<br>Pigeons, carrier, I<br>Pinkertonism, dis   |
| Exposive, new, nercunte.  Exposives, amoletes "18, exposition, columbian, edele."  Exposition, Columbian, dedle. "7, exposition, the great of the gr | Inebriety  | Mice, destruction of 4 L Microbes, butter and cheese 198   | Pigeons, carrier, I   |
| Rxpress, electric, Adams'  | India, manufacture of alum in . 22<br>India rubber in Borneo   | Microscopy, notes on 35  | Pine fitters tool f   |
| Hye strain, effect of 100  | india rubber in chewing gam. a india rubber goods . il- india rubber goods . il- indicates, speed, new   | 1 Mill for pulverising. %3<br>9 Mill, sugar cane. 274  | Pipes, corn cob<br>Pirate, launch of<br>Piainfield water w  |
| Fabric, a novel  | Indigo, artificial   | Mineral oil, Scotch  | Planets, light of<br>Planets, position of<br>Planets, position of   |
| Fabrice, a novel Fabrice, piled, utilizing 98 Fabrice, woolen, bleaching 6 Fabrice, woolen, bleaching 6 Fair, World's, dedication of 7 20, 46, 51, 50, 172, 152, 150, 167, 150, 150, 150, 150, 150, 150, 150, 150  | Infants, prehensile  | 6 Mineralogy, exhibition   | Planets, position of Planets, |
| Fuir, World's, notes, 6. °5, 16, 17,<br>20, 48, 52, 50, 122, 132, 135, 146, 153,<br>*158, 861, *190, 277, *201, 244, 246,  | Insects, lac, in the U.S Instinct stronger than will Institute of arts and sciences  | Mines, coal, Maple Hul.  Mines, coal, Maple Hul.  Mines, coal, Maple Hul.  Mines, coal, dead, and a county of the Malaroum.  Mines, coal, the data room.  Mines, coal, the data room.  Mines, coal, the data room.  Mines, coal, coa | Planets, position of<br>Positions planets<br>Plant lice and fun   |
| 298 292, 298, 298, 298, 398, 398, 398, 398 Fali of bodies, experiments   | Institute stronger than will. Institute of arts and sciences. Institute, Fratt, growth   | Mississippi floods   | Plant life, color<br>Plants and electric<br>Plants, effect of el  |
| Fam be and disease in Russia   | Institute, Young Men's   | Models, pathological, material 155 Molasses as fuel 156 Mont Blanc observatory 180   | Plants and electric<br>Plants, effect of e<br>Plants, new to me<br>Plants, sexuality<br>Plants, some stran<br>Plaster of Paris<br>Plaster, some uses  |
| Pamine in India. 183 Fan, rocking cheir. "643 Fann products, transportation. 186 Felt hate, manufacture of. "48 Fence, linker". 48   | Invention, opportunities for 101 Invention, psychology of  | Moon, bright streams on  | Plaster of Paris.  Plaster some uses  Plate, dry, double  |
| Felt hats, manufacture of "185 Fence, hisker" . "9 Fence, hisker "180 "615 Fernand, beer . 27 Fernand, beer . 27 Fernand, beer . 37 Fertallicers . 36 Field, Cyrins W "53 Filling apparatus, Roos" 913 Fillin, improved . 6 Fire angine pump. 115  | Invention a study.  Invention a study.  Invention a study.  Invention a study.  St. C. St. 74, 91, 96, 132, 134, 134, 170, 186, 206, 218, 234, 230, 305, 232, 234, 230, 336, 232, 336, 232, 336, 232, 336, 332, 338, 332, 332  | Moon, new, Jupiter's 101<br>Morocco, locusts in  | Plate, dry, double<br>Plating, iron and n<br>Plating with iron a<br>Platinum wire   |
| Field, Cyrus W   | Inventor, a famous   | Mosquitoes, capture of   | Plating with iron in Platinum wire Plumbing idea, go Pneumatic tubes, Poestry, art of, by i Poisson, arrow, N. I Poles, flag, gigantic Polishing paste, M Popping, waste of, Population, colore Porcelain, cement Poetage stamp dell'   |
| Fire secure McCollum's *220  | Inventors, death of  | Moss, Florids  | Poison, arrow, N. I<br>Poies, flag, gigantic<br>Polishing paste, M  |
| Fire pump, ateam   | Inventor, a funous.  Inventor, a nuted.  Inventor, a nuted.  Inventors, death of.  Stinyentors, augustions for.  20 Inventors at World's Fair.  Stinyentors  | Motion, perpetual  | Popping, waste of Population, by color Population, colored  |
| Fine poles, gigantic   | Fron cinder paint. 338 Fron ore of Minnesota   | Motor, gas, large *385.<br>Motor, steam, rotary *146.<br>Motors, electric, chean *54   |   |
| Film, improved   6     Fire engine pump.   115     Fire engine pump.   125     Fire engine pump.   125     Fire prop.   125     Fire proof consent   200     Find mader ico.   344     Fing poles, gigantio.   255     Finne poles, gigantio.   265     Finne of nitregen   60     Fiveds, Mississippi   7     Fiordia mons   160     Fiveds orangos   267     Fiveds, care of   779   | fron plating with  | Mouth diseases, remedy for   | Potash, American.<br>Potaso blight<br>Pottery, how made   |
| Flowers, in color art necessing Il   | iron ore of minnesota.  1 ron plating.  20 1 ron. plating with.  1 ron reak, to remove  1 ron reak, to remove  1 ron stains in cloth.  1 ron works, old Saugus.  4 ron works, Union.  1 registion.  1 registion, snow for.  1 registion in Washington.  1 registion, wells for.  4 reatine.  4 reatine.  4 reatine.  | Myrabolams   | Postai facilities, N. Postash, Americas. Potatery, how made Pottery remains, A. Powder, amokeless Powder, amokeless Powder, electric, at Power house, Broas Power house, Broas Power water, util  |
| Phocography Fiv. bot. of burnan beinge. 281 Foam, soda. 282 Fog lighting in London. 362 Fog London. 365 Fogs, advantages of 181  | Irrigation, anow for   | N<br>Nails, cut vs. wire 389   | Powder, smokeless<br>Power, electric, at<br>Power house, Bros   |
| Fog. London  | Institue   | Nancy Hanks beaten   | Power transmission Power, water, util Prairie roads, good Prat Institute, gr Press, hydraulie, Tressure gauge, ne Printing of woolen Prints, blue, intens Prints, blue, intens Prints, photo, in er Prints, photo, to pe Prints, silver, enam Prints, silver, enam Prints, silver, enam Prints, silver, enam Prints, recoccopic Projectile trial, ree Projectile wrecks a   |
| Forest, dectromotive, and gravity 256 Foresten, factory, task of 65  |  | Nash, John, pertinacious. 115 Natural History, Museum. 200 Natural history notes. 34, 384, 386 Naturalists La Plata 201 Naturalists, German, congress. 107 Naval notes. 200  | Pratt Institute, gre<br>Press, hydraulic, Tr<br>Pressure gauge, ne  |
| Fog. London Fogs. advantages of 130 Footprints in the sands of time 176 Foron, electromotive, and gravily 26 Foresten, fastory, task of 6 Forest, patrified, Arabona 25 Fortification of bleeres 25 Fortification of bleeres 36 Foundation, curricus, 367 Fountation, curricus, 367 Fountation, curricus, 367 Fountation, drinking, Columbial, 369 France, hope for 6  | Jackets on high speed engines 401  | Naval notes 279 Navy, progress of our 400 Wayal reserves, target practice 115  | Printing of woolen<br>Prints, arsenic in<br>Prints, blue, intens  |
| France, hope for   | Jackets on high speed engines 401 Jamand Jerusalem railway 962 Jamanes, island of 325 Japan, engineering in 99 Japan, engineering in 99  | Navy, British, additions to 351 Navy, engineers in 392 Nack woks, Rothrock's 278   | Prints, photo, enan<br>Prints, photo, in ec<br>Prints, photo, to po   |
| Prance, hope for 41<br>Profelic boad, lake 22<br>Protect car, innerved 82<br>Profels, condition of 82<br>Profelon 8  | Jois, water, experiments   | Negatives, celluloid, varnish 191<br>Negatives, gelatine, detaching 381<br>Neuralgia, powder for 100   | Prints, silver, enam<br>Prints, stereoscopic<br>Projectile trial, rec   |
| Prietton 81 Frost pictures, photo 181 Frost, protection va 286 Fruit seids. 862  | WE WE  | Naturalists, German, congress. 181 Naval notes. 279 Navy, progress of our 400 Navy, progress of our 400 Naval reserves, target practice -126 Navy, British, additions to 51 Navy, British, additions to 51 Navy, Engineers in 52 Neck yoke, Rothrock's -178 Negatives, celluloid, varnish 191 Negatives, celluloid, varnish 191 Negatives, gelstine, detaching. 361 Neuralists, powier for 100 Newberry, John Strong 423 New Hebrides, arrow prisons. 177 New Mexico, education in 185 New Orleans, battle, second. 78   | Projectile wrecks a<br>Projections, polyet<br>Projections, stereo   |
| Fruits for Knoland   | Kannas glaciers  |  | Propeller emclency  |
| Fuel, moinages as  | Kerite. 294<br>Kilauea, voloano 298<br>Kingdom in Ohlo 86  | New York, rapid transit in 323<br>New Zealand, wingless birds of 388<br>Niagara Falis, utilizing 38, 227<br>Niagarapa Canal  | Psychology, experi<br>Psychology of inve<br>Ptychoraphia Augu<br>Pulverizing, mill fo   |
| Furnace, bia-1, femperatures . 807 Furnace, improved . *415 Furnace, Sargent's . *255  | L L  | Nicaragua canal convention. 360 Nicaragua canal convention. 360 Nickel plating. 200 Nickel steel process. 236  | Pulverizing, mill for<br>Pulverizing mill plump, fire engine<br>Pump, fire, steam   |
| Furnaces for sucar estates   | Labor, rights of   | Nickel, plating with   | Pycktanin.<br>Pyramid builders, to<br>Pyritos, suiphur in.  |
| . Q .  | Laboratory of Siffel tower. 'lli<br>Laboratories of Europe. 384<br>Lac insects in the United States. E<br>Lake currents, drift of. 68  | Nipple holder "44 Nitritee, alkaline, and white lead. 214 Nitrogen, flame of. #8 Nitrogen, flame of. #8 Nitrogen, flame of. #8 Notes and throat . 370 Norther Arbanet . 370  | Q   |
| Gallery of history and art 238 Galls, loaf 34 Galveston, deep well 380   | Lake, frozen, great  | Nose and throat         370           Nossle, exhaus         386           Number, gratuitous         430           Nut lock, improved         731   | Puarantine stations<br>Juarts, voiatilizatio<br>Juicksilver, purifice   |
| Gargie for sove throat 100   | Landine<br>Lantern slides, to color  | Nut lock, improved   | R   |
|  |  | Onk bybrid new 146   | ladiator, steam, ne<br>lail joint, Roxby's.<br>lailroad car, Willian  |
| Gas engine, large 102 Gas, inhaled, restoration 125 Gas, matural, Stockton Gas, natural, in Tennessee. 123 Gas, natural, wonders of 27   | Lawyers, census of   | Obelishs how moved   | Entirond lines View   |
| Gas, sewer, consumer,  | Lead alloy new   | Obesity, diet in   | tailroad on ice   |
| Gas, sewer, consumer. 25, Gasse, pressure, now 25, Gasse, pressure, now 25, Gasse, surface, Carrin 51, Gera, winding, Improved. 745, Geletine negative, detaching 38, Geology, novel ideas on. 29, Geology of Palestine. 286, Germs, artifotia 116   | Leather dyving   | Oil, bitumen, and gas. 210 1<br>Oil can, improved. 256 1   | tailroad, water weight ailroads of the wo   |
| Geology of Palestine 186 Gems, artificial 116 Glaciers, Kanwa. 200 Glace pulishing machine 178   | Legerdemain, Hindoo. 10 Le Louvre, steamer 98 Lemon, essenor of. 57 Lemonde, laxative. 21 Lepidoptera, wingless 34 Lichen, orchille. 85 Lifting apparatus, before 22 Light, a brilliant 22 Light, electric, effect on plants 94 Light, electric, mathead. 95 Light, search, for the Fair. 36 Light, search, mountain, 145, 197, 36 Light, sear | Oil, cod liver   | salivace of the wo<br>tailway bridge, fall<br>tailway, Rrooklyn I<br>tailway, electric, T<br>tailway, elevated, I<br>tailway facilities.<br>tailway, Great Wes<br>tailway, Jaffa and J<br>tailway, overhead   |
| Glass pulsating machine 17.8 Glass, wire 977 Glass woul, nlumbif. 202 Glue, adhesiveness of 83   | Lepidoptera, wingless  | Oil, mineral, Scotch   | ailway, elevated, I   |
| Glue, adhesiveness of . 83 Glue, liquid . 226 Glue, liquid . new . 999 Glue, liquid . new  | Light, a brilliant   | Orange, Maita, diseases of   | tailway, Jaffa and J<br>tailway, overhead,  |
| Glycerine in wine. 715 Gold, alloy recembling 49 Gold and silver from son 479  | Light, electric, and veg. growth. 386<br>Light, great, for the Fair 286<br>Light search mountain 145 M7 366  | Orang-outang, musical and bore finder, electric  | tailway, overhead,<br>lailway, street, cab<br>lailway telephone,<br>lailway ties, metali<br>lailway window sas  |
|  | Light, stopping 278 Light, suit, electric, great 48 Lightbouses, modern 994 Lightbouses, modern 994 Lightbouses, modern 49   | Orchille lichen  | ailways, American<br>ailways, cable, Nev<br>ailways, street, of<br>ain making by ano  |
| Gold finder. 112<br>Gold ores, magnetic particles 226<br>Gold and sodium chloride 128<br>Gold, sunken, search for. 231   | Etableteine efficies of  | Odenson Abe  | ain making by smo   |
| Gold, sunken, cearch for   | Lightning, power of 65 Lightning, power of 65 Lightning, power of 65 Lightning | Orchille lichen  | am, hydraulic   |
| Goids waste or varies  | Lion, stalking s   | B  | ats. gooseberry<br>attlesnakes and pr   |
| Greet Wostern Railway 19<br>Greenland, exploration of 192<br>Greenland, winter in  | Liquid measurer 178 Lister, S. C. inventor 18 Liverpool, elevated railway 389 Liverpool overhead railway 390   | P  | ed Cross improven   |
| Grinding, dry, mill for *88 Gum arabic 421 Gunn washin artificial 421  |  | Packing house Armour   | esin, uses of<br>efrigaration, mechi<br>esidence, Bridgepo  |
| Gum arabic Gia artificial  | Locomotive, compressed air. 37 Locomotive, compressed air. 37 Locomotive, fat run of   | Paint brushes. 129 R Painters, notes for 101 R Painting of exposition buildings 300 R Paint, iron cinder. 376 R  | etinol<br>heumatism, acute<br>heumatism, carber   |
| Gun cotton. 35<br>Gunpowder, moduless. 115<br>Gun trias, interesting. 24<br>Guns, great, and armor plate. 32<br>Guns, magazine. 90   | Locomotive amoke consumers. 180 Locomotive, underground  | Faint, fron cinder   | ichard Peck, steam  |
| 1  | Logs. Fair   | Paper, Corean  | obbon bolderichsrd Peck, stean<br>iles, magazine.<br>ight of way, buildi<br>tvers, rate of rising<br>oad cleaner, Astor<br>oads, electric vs. st  |
| Hatistones, becteria in 188  |  | Paper, gelating  | oads, electric vs. st<br>oads, good<br>oads, good, let us h<br>oads, prairie, good,<br>oanoke, ship.  |
|  | N/   | Paralysis, remedy for 198 B  | ock folds   |
| Hamburg, choices streets. 997<br>Hamburg water. 775<br>Handles, hard wood. 238<br>Handle, chapped, runnedy for. 100<br>Hanger, Duke's 788  | Machine tools Emeliah 1979   | Paraphenyldiamine bair dye 161 R   | ock tolds. ocket grapnel ocking chair fan od and ring experi odinal, preparation  |
| Hanger, Duke's<br>Harber, Honotalu, dredging in. 204<br>Harpoon, electrical. 68<br>Harvester, cotton 995   | Machines and mon. 6 Magnasine rille, new army 62: Magnasium oxide nees of 9: Magnasium oxide nees of 9: Magnasium oxide nees of 9:   | Patent law amendments  |   |
|  | Males, agricultural experiments. 35 Males and females, proportion 194 Mammalta, tooth of   | Patent rights untaxable  | ooms, height of<br>ope walking, tight o<br>ope, wire, introduc  |
|  | Mamo, the 136 Maple Hill coal mines. 366 Maple Hill coal mines. 366  | Patent, not best way to sell. 34 R Patent office case, old 58 R Patent office case, old 58 R Patent rights untaxable 52 R Patent, telephone, Hell. 56 R Patent, telephone, Hell. 56 R Patent, death of inventor 58 R Patent, dischard, sustained 26 R Patent, disclorie, sustained 26 R  | ubber satificial. ubber balls, inflatio ubuer, deterioratio ubber goods, preser ubber hat bag indu  |
| Hemorrhage, but water for 378 Hemorrhoids, calomet in 13 Herbarium, the oldest   | Marechal Canrobert, sinking of. 130 Mars, canais of. 200 Mars, inner moon of 112 Mars, boped path of 116 Mars and the moon. 116  | Patents, recent decisions relating to. 228, 284, 290   | ubber hat bag indusubber shoes, manuf   |
| Herealite, explosive   | Mars and the moon  | Ing to, 228, 354, 308 Relations of the state | ubber shoes, manui<br>ubber tires, use of,<br>ubber varnish   |
| Hings for slutters 186 Hings for slutters 186 History and art, gallery of 188 Hotsting device 274  | Masthead Illumination *161   | Pearls, making 197 R   | thbers  |
| Exclusived maximum and a second with a second  | Mat, wire, new   | Peary expedition   |   |

| Smerican.  | (D   |
|--|--|
| Photo-detective, electric  | Salmon, protection of.  Salit sprinkler, table Salit sprinkler, tabl |
| Photographs, colored   | 87 Salt sprinkler, table   |
| Photography and astronomy  | 5 San Diego, climate of  |
| Photography at the Fair<br>Photography, color<br>Photography, electric spark   | 87 Sangus Iron Works   |
|  | 66 Sap, ascent of  |
| Photography, magnetic  | 6 Satellites of Mars   |
| Photography, polychromatic 1   | 35 Saw, antiquity of<br>30 Sawmill, gang, Macrey's   |
| LICEOTTOPOL COCCERN **********   | 48 Saws, band, to join   |
| Photo-sculpture, process 3   | 8 Saxony, tunnel works of 2  |
| Physician, family, ideal   | School, carriage builders'   |
| Pigeons, carrier, naval  | 20 Schorlemmer, Prof. Carl   |
| ipe fitters, tool for  | 84 Scientific notes  |
| rirate, launch of  | sectement spart, old and new Sectement spart, old and new Sectement spart Sect |
| Plainfield water works   | Screen, window, Dodge's  |
| lanets, position of in August<br>lanets, position of in September 1  | 5 Screws, wood, making   |
| Planets, position of for Novem 2   | Scymnus, an Australian   |
| Positions planets in January 4   | Sea water, use forbidden   |
| lant life, color   | Section liner and scale divider2  Seed, beer, Ca ifornia   |
| lainted water works lanets, light of lanets, position of in July lanets, position of in August, lanets, position of in August, lanets, position of for October, lanets, position of for Novem. lanets, position of for Novem. lanets, position of for Novem. lanets, position of in December lanets, position of in December lanets, position of in January. lant life, color- lant life, color- lant sand olectric light lants, effect of elect. light. lants, effect of elect. light. lants, excuality lants, exxuality lants, exxuality lants, sexuality lants, sex | Sea sickness     Sea sickness     Search light, mountain,  |
| lants, some strange  | Sewer gas consumer   |
| laster, some uses for 12   | Sewer, St. Louis, explosion  |
| lating, iron and nickel  | Ship, air. Barnes'   |
| lumbing idea, good   | Ship canal, lakes to Hudson 41 Ship Miantonomoh  |
| ostry, art of, by a post   | 8hip Santa Maria   |
| oles, flag, gigantic   | Ship of war great, loss of?  |
| opping, waste of   | Ship of war Ramilles   |
| opulation, colored, of U. S 8<br>orcelain, cement for 130, 22  | Shipbuilding, Newport News 2   |
| isants sowality isants, some strange lants of Paris. isants, some uses for   | 6   Shorthand, typewritten 30  |
| ostal Incilities, New York. 41 otato blight  | 9 Siam, mosquitoes in  |
| ottery remains, Arisona 19<br>owder, smokeless 11  | Silver prints, enameling   |
| owder, unckeless. 11.  owder, mokeless. 21.  owder, mokeless. 31.  owder, encokeless. 32.  ower, electric, at Fair. 3.  ower transmission plant. 31.  ower transmission plant. 32.  ower transmission plant. 33.  ower transmission plant. 34.  ower transmission plant. 35.  ower water utilisation 39.  mire roading od, wanted. 35.  ress. hydraulie, Thylor's 39.  ress. hydraulie, Thylor's 39.  ressure gauge, new 39.  rinting of woolen tissues. 34.  tuts, arrencin. 34.  | Slag, heat wasted by   |
| ower house, Broadway R.R 111   | Sleeve pen rack  |
| ower, water, utilization *9<br>mirie roads, good, wanted 30  | 8 Slides, lantern, to color  |
| ratt Institute, growth 30<br>ress, hydraulic, Taylor's   | Snakes within snakes 190   |
| ressure gauge, new   | Snow shots burned  |
| ints, blue, intensifying 188   | Soon bubble experiments #100   |
| ints, photo, enameling   | Soda salicylate for rheumatism. 8  |
| inting of woolen tissues. 26 ints, shee in . 38 ints, blue, intensifying . 18 ints, blue, onameling . 18 ints, photo, onameling . 18 ints, photo, in colors . 18 ints, photo, to polish . 18 ints, photo, to polish . 18 ints, silver, enameling . 18 ints, a terococopic, reversed . 37 ints, a terococopic, reversed . 37 iojectile wrecks a schooner . 4 iojections, polyetrome . 77  | Soap, iodine   |
| ojectile wrecks a schooner 45<br>ojections, polychrome   | Soldering metal for aluminum 147<br>Solio paper, how made  |
| ojections, stereoscopic 308  | Sound, concerning 213<br>Spark, electric, photography 196  |
| ojections. stereoscopic  | Spectacle, weird   |
| ychology of invention  | Spectronenograph, working of 144   |
| lveriging mill plant   | Speech, Inscription of   |
| mp, fire, steam  | Speed and power, convertibility 314<br>Spider web from the clouds 325  |
| ramid builders, tools of 148<br>rites, sulphur in 268  | Spontannous combine amounts 400  |
| Q  | Sprains, remedy for  |
| arantine stations needed 176<br>arts, volatilisation 198   | Squash bugs, remedy   34   |
| icksilver, purification of 256   | Star, fixed, trip to a   |
| R  | Stars, study of the  |
| diator, steam, new   | Steam engine, rotary   |
| Il Joint, Boxby's  |  |
| ilroad lines, Virginia   | Steam propulsion, experiment   |
| ilroad station, l'hiladelphia. #21.  liroad strikes 128  liroad, water weight 112  liroads of the world. 3723  lway bridge, fall of 422  lway, Brooklyn bridge. 288  sway, electric, Adams' 38  lway, electric, Tacoma. 255  lway, elevated, Liverpool. 398  lway facilities. 398  | Steamer, central screw   |
| ilroads of the world   | Steamers, Atlantic   |
| lway, Brooklyn bridge 288<br>liway, electric, Adams' 36  | Steamers, English-American 416<br>Steamers, lake 201   |
| llway, electric, Tacoma  | Steamship building, American 330   |
| llway, Great Western   | Steel Company, Maryland 56 Steel, nickel, process. 226   |
| lway, overhead, Liverpool, 260   | Steamers, English-American 416     Steamers, lake 291     Steaming, ocean, fast 291     Steaming, ocean, fast 391     Steami   |
| 10   10   10   10   10   10   10   10  | Stereoscopic projections. 300  |
| lways, American 183<br>lways, cable, New York 196<br>lways, street, of U. S. 145   | Stereotyping   |
| n making by smoke  | Stockton, baths at *f8   |
| n, hydraulic, large  | Stones, precious, artificial   |
| nie, cloth from  | Stovepipe ventilator   |
| s, gooseberry  |  |
| i Cross improvements   | St. Gervais disaster. St. Paul's, decoration of 8 Subscriptions, renew now 416   |
| rigeration process   | Sugar of Agave Americana 300<br>Sugar in bags 339<br>Sugar beet, disease of 258  |
| BEEN LITERAL PROPERTY AND ASSESSED AND A PROPERTY OF THE PROPE | Sugar cane mill  |
| eumatism, carberry plant for. 250  | Sugar cane, new variety of 130<br>Sugar crystals 405<br>Sugar estates, furnaces for 67<br>Sugar factories, German, profits 245   |
| hard Pock steamboat 940  |  |
| ht of way, building over 82<br>ers, rate of rising 85  | Sulphaminol  |
| es, magazine. So hs of way, building over. St ers, rate of rising St d cleaner, Astor's St ds, electric vs. steam 165  | Sulphur in pyrites   |
| ds, good, let us have  | Surinam toad   |
| ds, prairie, good, wanted 257<br>moke, ship  | Sword trick, a   |
| ket grapuel  | Survey, cable, completion. 7 Swine. feeding. 391 Sword trick, a. 756 Sydetikon glue. 225 Sydney, sewage system. 750 Syringe, hypodermic, inventor. 150   |
| king chair fan   |  |
| ne, street treasures of 202  | Table, embeolders  |
| e walking tight and slack 257<br>e, wire introduction 277  | Table, embroidery  |
| per, artificial  | Tachometer, new 211 Tacoma electric railway, 225 Tacony Iron and Metal Co. 221 Taffy candy 197 Taiking one thousand miles. 27  |
| ober goods, preservation   | Taffy candy  |
| ber shoes, manufacture   | Target practice, haven reserves 180  |
| mar Amenaperenters and   | Telephone, alternating current 233 Telephone, electro-mechanical 230   |
| sia. famine and disease in 210<br>t, iron, to remove   | Telephone, future of   |
|  | Telephone, new   |
| 8  | Telephone, progress of   |
| ers, manufacture, civil war. 97  | Telephony, long distance. 212  |
| Pharine in a new Pole  | Telescope great, for Chicago 38 Telescope making, amateur 120 Temperature of bore holes 84   |
| aman plactrical  | Temperature of nore norms 84   |

Trick, sword, a.
Trick, sword, a.
Tricky electric car
Trolley system in Bosson.
Trolley system in Bosson.
Tropein.
Tuberculosis. sinc chloride for.
Tuberculosis. sinc chloride for.
Tubed. Chloraco, new.
Tubed. Chloraco, new.
Tubed. enn. ventilation.
Typewriter in ciphor writing.
Typewriter, "Simplex" U . Utah, beekeeping in...... 300 Vaccine, transport by pigeons 199
Vacuum tubes, luminosity 291, 256
Valve, a mammoth 294
Valve, regulating, Farrand's 466
Valve, safety, Kunkle's 416
Valve, slide, balanced 165
Valve, slide, balanced 165
Vanush for negratives 291
Varnish robber 295
Varnish for negratives 291
Vestables, effect elec. light 292
Vestables, effect forcing 391
Vestables, electric forcing 391
Velvet, rubber 962
Vestables, electric forcing 392
Vestables, electric forcing 392 Walking delegate, record of warship Columbia \*\*\*8, \*\*167\*\*
Warship Howe, lose of \*\*50\*\*
Warship Iphigenia ... 270\*\*
Warship Iphigenia ... 270\*\*
Warship Iphigenia ... 270\*\*
Warship Ramillies ... 312\*\*
Warping, new process ... 169\*\*
Washington, irrigation in ... 71\*\*
Watch, running of a \*\*75\*\*
Watch running of a \*\*75\*\*
Watch, consideration in ... 71\*\*
Watch, consideration in ... 71\*\*
Watch, consideration in ... 71\*\*
Watch, consideration ... 76\*\*
Watch, Carlon measurement ... 76\*\*
Watch, Carlon ... 76\*\*
Watch, Gambines ... 76\*\*
Watch, Elambines aucurement ... 76\*\*
Watch, Carlon ... 76\*\*
Watch, Gambines ... 76\*\*
Watch, Carlon ... 76\*\*
Watc

to his own interest, who deals in Arms and Ammunition, or who shoots a Rifle, Pistol, or Shot Gun, and has not a copy of the IDEAL HAND SOOK, No. 3A. 64 pages of solid information, Just out. (Mealine Belssrore Assauca.)

Stamps for postery will not provide us. Ideal Mfg. Go. Drawer 860, New Haven. Ct., U.S.A.

BARR'S Book on Steam Boilers, cloth, \$3.00.

are recognized Standard Text Books on these important conjects. New edition just ready. Address, D. Yan Nestrand Company, New York, Simry Carry Baird Company, Philadelphia.
Baker-Randolph Co., Publishers, Indianapolis and Chicogo.



MONTHS ON TRIAL" FOR "3 Bubier's Popular Electrician. IOC. An illustrated monthly journal for the amateur, experi-



PHOTO - SMOKE CICAR CAMERA.

Most wonderful novelty of the day. Takes your picture while you smoke. Agents wanted in all parts of the word. Sample, terms, etc. 25. Described in Stitute word. Sample, terms, etc. 25. Described in Stitute of the word of the wor



Mazufacturers of Iron and Steel

STORAGE TANKS. 3d Floor, Rookery Bldg. CHICAGO, ILL.

FIRE AND BURGLAR PROOF

BANK AND SAFE

# Deposit Vaults,

HERRING, HALL, MARVIN CO.

365 & 367 BROADWAY,

NEW YORK.



MUD: A MATERIAL IN PERSIAN and Eastern Architecture.—By William Simpson, R.L., M.R.A.S. An interesting London Society of Arts lecture on the mud-built structures of the East. With 7 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 865. Price 10 conts. To be had at this office and from all newsdealers.



ENGINE CASTINGS

rom 16 to 6 horse power, in ough or finished. Upright, forisontal and Marine. 5 and 16 Light Dyname, Simple and Fan Motor Cast-age or Finished Machines. Lathe Castings,

PALMER BROS., Minnus, Conn. CLARK'S

WOOL WASHERS,
WARP DYEING AND SIZING MACHINES,
PATENT RUBBER COVERED SQUEEZE
ROLLS,
POWER WRINGERS FOR HOSIERY AND
DRYING AND VENTILATING FANS,
WOOL AND COTTON DRYERS, Rec.
Catalogues free.

GEO. P. CLARK Windsor Locks, Conn. Box L.




ALUMINUM

Cowles Electric Smelting and Alumiuum Co Correspondence solicited. LOCKPORT, N. Y.

BEATTY Planes. Organs. \$33 up. Want agents. Cat'g free. Dan'l F. Heatty, Wash'ton. N. J.

The I 802 Model Remington



For Ease and Convenience of Operation, Simplicity of Design and Durability of Construction, is

UNEQUALED.

SEND FOR CATALOGUE.

WYCKOFF, SEAMANS & BENEDICT, 327 Broadway, N. Y.

No one ever wrote 1000 Letters an Hour,

that is, unless they first wrote one and then copied the rest on an EDISON MINEOGRAPH.

Invented by Thes. A. Edison. For Daily Office Use in duplicating both handwriting and typewriting Anybody can operate it. Simple-Compact-Cleanly-Cheap. Endorsed by ever 90.000 users. Catalogues and Samples of Work sent free upon application. Manufactured only by the A. B. DICK CO., 154 E. Luke St. Chienge. Branch Offices, 47 Nassau St., N. Y. City, 117 So. Fifth St., Phila.

GATES ROCK & ORE BREAKER

Has produced more ballast, road netal, and broken more ore than il other Breaks a combined. Builders of High Grade Mining Machinery. Send for Catalogues. CATES IRON WORKS, 50 C So. Clinton St., Chicago 136 C, Liberty Street, New York, 257 C, Franklin St., Boston, Mass

NOTIGE.

All owners or inventors of smoke-consuming device are hereby notified that, if they have anything which will prevent the making of smoke in connection with the burning of soft coal, or consume the smoke if made and will bring the asme to our notice, their claims will be thoroughly investigated by the committee appointed at a meeting of soft coal consumers of Boston. All communications, accompanied by blue prints or drawings, showing in a clear manner the device proposed, absculbe addressed to F. A. GILBERT, Chairman, No. 17 Ames Bulkling, Boston, Mass.



MECHANICS' TOOLS

If you are interested in Tools as a manufacturer or amsteur, you should have a copy of our new cata-logue. Our 1862 edition is a very elaborate and com-plete book of 705 pages, handsomely bound in cloth. The book will be sent to any part of the world, pre-paid, on receipt of \$1.00, and the money thus paid will be refunded with the first purchase amounting to \$1.00 or over. Every manufacturer and amateur should have this catalogue, even if they do not in-tend buying their Tools and Supplies of us. MONTGOMER'S & CO., Fine Tools, 105 Fulton Street, New York City, N. Y.





The AUTOGRAPHIC REGISTER.

A Labor-Saving Business System. Enforcing Honesty and Accuracy. Chicago Autographic Register Co. 148 to 154 Monroe St. CHICAGO, ILL. Send for catalogue & price list.

After being on the Market Seven Years THE AGINE AUTOMATIC ENGINE AND BOILER STILL LEADS!

Half to Four Horse Power. Marine and Stationary.

For either Natural Gas or Petroleum as Fuel.

IF NO EXTRA INSURANCE. ROCHESTER MACHINE TOOL WORKS, Brown's Race, ROCHESTER, N. Y.

FS PRISTED, GUMMED, FOLDED, ALL AT ONCE, HENCE, LOWEST PRICES.

C. W. R. SMITH, Manufra Agent, SI S. St. St., Phila., PA. Dally capacity, Two Millon.

Do Your Own PRINTING.

AIR

The Hygienic Air Mattress, manufactured w U. S. and Foreign Patents, is superior to any matt made for general use, combining health, cleanliness durability, and is indispensable in cases of sekases-somnia, rheumatism or neuralgia mares of the sec-somnia, rheumatism or neuralgia materials.

EXPERIMENTAL SELECTE WORK of all descriptions. Vending machines a special Amer. Vending Mach. Co., 29 Murray St., New York.



T. A. G. THE TUSCARORA ADVER-Advertising Goods and Art Novelties, Coshocton, Ohio, buy good specialties outright or manufacture on Payalty Salesmen cover every State and Territory in the Union

FOR SALE, TEN MILES,

of Spiral Weld Pipe, 8-inch, I. D., tested to 50 lbs. pressure, coated with the usual coal tar composition; couplings for lead joints, pipe lengths, 16 ft. to 18 ft.; weight of pipe, 6 lb. per ft. Tender will be received for thi pipe f. o. b. Chicago, where it may be seen if desired. Address all con

J. E. Mcklroy, 287 Wabash Av FOR SALE—One Compound Duplex Knowles
Steam Pump, 8 and 12 by 86x18,
600 galls, capacity, But little used. Too large for owner's
use. Price low. Address Box 46, New Haven, Conn. NATIONAL MES,

IMPORTING CO.

FREE

No Money Required.



HARRISON CONVEYOR

For Grain, Coal, Sand, Clay, Tan Bark, Cinders, Ores, Seeds, &c. BORDEN, SELLECK & CO., Manufors, Chicago, III.

7APON ( CELLULOID LACQUERS 4

TO YOU. OUR NEW 28 pp. CATALOG with COLORED PHOTOGRAP RYME THE PARTICULARS OF OUR FAMOUS

We can save you \$50 to \$250 and or sell you an Organ for \$35, or a Framo for your own terms. For CASH or of STALLMENT PLANS. 175 on your own ter EASY INSTALLMENT Write at CORNISH & CO., New Jersey

FOR SALE.

ADDRESS. Sorth American Photograph Co.

MDISON BUILDING, New York. Masonie Temple Bldg., Chicago.

TRADES UNIONS. THE TENDENCY J. By Herbert Spencer. An able paper, politific out the great difficulties of dealing with complex secta questions. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 801. Price 10 cents. To be had at this office and from all newsdealors.



THE AURAPHONE

THE DEAF MAY HEAR!

THE AURAPHONE is a new scientific invention of an Invisible Apparatus to be worn in the cars. It is easily inserted or withdrawn by anyone, and will invariably restore hearing to anyone not stone deaf. It can be tested about the tyree of cost.

THE AURAPHONE COMPANY,
No. 69 Maconic Temple, Chicago, Ill.

Pamphlet sent for two cent stamp.



\$10.00 to \$50.00 per night, and p



E. Konigsiow, manufacturer of Fine Machinery and Models, offers Special Facilities to Inventors. Guarantees to work out ideas in strictest secreey, and any improvement that he can suggest goes with the work. Thousands of men have crude though really valuable ideas, which they lack mechanical training to develop. Novelties and patented articles manufactured by contract. 181 Seneca St., Cleveland. Ohto.

ENGINEERS,-License Law. Prepare for Examina-tion with Stephenson's Practical Test. Simple and valuable Treatise on Steam Engine and Boller. By mail, \$1. R. S. Badeliffe, 70 La Salle Stroot, Chicago.





THE MISSING WAR LINK Out of sight from 1861 to 1865, FOUND in th

THREE EMANCIPATORS.

JNO, L. SCHILLING, BELLAIRE, OHIO.



DEAFNESS & HEAD NOISES CURED by Peck's lavisities Tutolist Par Cushions. Whispers

AVES ELEVATORS

#### Movertisements.

Inside Page, each insertion - - 75 cents a line Inside Prage, each insertion so we \$1.00 a true. The above are charges per agate line—about eight words per line. This notice shows the width of the line and is set in agate type. Bugarwings may losed advertisements at the same rate per agate line, by isosaure mont, as the letter press. Advertisements must be received at Publicular Office as eachy as Thursday morning to appear in the following week's issue.



OVERMAN WHEEL CO.

A. G. SPALDING & BROS., Special Agents,

Patented May M, July M, 1887; Oct. 25, 1880 Aug. 19, Oct. 21, 1890; April 7, May 12, 1891 Jaly 19, 1892.

Its Advantages are:

- Stronger than a common screw.
   Uniform and wide slot.
   Bequires the use of but one bit in hard good.

- The seven being Cald Furged, instead Cut, leaves on its entire surface a stallic skin.

### AMERICAN SCREW CO. PROVIDENCE, R. I.





"Time tries all," and stands trial itself when a watch is tested by hard usage. This shows its practical working qualities. "Looks" count for something, too, in a watch; there should be both fine looks and fine works.

A 14-karat gold filled or coin-silver case makes a beautiful watch to look at. Jew-eled works, stem-set and stem wind are practical points. They stand the test in the new quick-winding "Waterbury." Your laweler will tell you about it. It

We also send, free of charge, a Synopsis of Foreign Pa-cesst Lawn, aboving the cost and method of securing Fatesian in all the principal countries of the words. MUNN & CO., Selicitory of Patents, 361 Breadway, New York, BHANCH OFFICES.—So. 68 and 68 F Street, Pa-cific Suiding year 7th Street, Wash'reton, D. C.

## James Smith Woolen Machinery Co.

## THE HUB FRIGTION GLUTCH.



shafts and Cut-off Ou The most sh



UNUSUAL BUSINESS CHANCE.



H. W. JOHNS MFE. CO., 87 Maidon Lane, N.Y.

95 MILK ST., BOSTON, MASS.

This Company owns the Letters Patent granted to Alexander Graham Bell, March 7th, 1876, No. 174,465, and January 80th, 1877, No. 186,787,

The transmission of Speech by all known forms of Electric Speaking Telephones infringes the right secured to this Company by the above patents, and renders each individual user of telephones not furnished by it or its licensees responsible for such unlawful use, and all the consequences thereof, and liable to suit therefor.



Motor of 19th Century

Lunkenheimer's Gas Engine Lubricators,

THE LUNKENHEIMER COMPANY to The Lunkenheimer Brass Mfg. Co. CINCINNATI, O., U. S. A.





The Smith Premier Typewriter

The Smith Premier Typewriter Co., Syracuse, N. Y., U. S. A. We have 20 branch offices in the principal cities throughout the United States.

## DO YOU WISH TO SELL YOUR INVENTION?

For Time Exposures In-Doors, For Flash-Lights at Night.

The Junior are the most compact camera made. Perfectly adapted to hand or tripod use. Can be used with relifiting or glass plates. Fitted with focusing index and counter for exposures.

\$40 and \$50.

EASTRAN KODAK CO., Rochester, N.Y.



" OTTO " GAS AND GASOLINE

OTTO GAS ENGINE WORKS, PHILADELPHIA. THE COPYING PAD-HOW TO MAKE

ACENTS WANTED FOR FINE TOOLS IN EVERY SHOP CATALOGUE C. H. BESLY& CO.

AND MERKY. CHICAGO, ILLUSA.

PRILLMAN BUILDING, CHICAGO

Brancho in all principal cities.



SPRING INSIDE CALIPERS
Lender, No. 72.
Lender, No. 72.
Lender, No. 92.
Linch... 90.75 | 5 inch... 90.90 | 6 inch... 90.95
These goods excel, for nestness and fine finish, any other make. Ideal and Leader Spring Dividers and Calipers, Ideal Surface Gauges, Depth Gauges, and Pine Machimists' Tools.

\*\*Fill Bustrated catalogue free to all. J. STEVENS ARMS & TOOL CO., P.O. BOX 20 Chicopee Falls, Mass.

VOLNEY W. MASON & CO. FRICTION PULLEYS, CLUTCHES, and ELEVATORS



THE STIRLING BOILER omical in fuel, repairs, as stely safe at high pressure

THE STIRLING COMPANY,

## EDISON INCANDESCENT LAMP

IS THE ONLY INCANDESCENT LAMP LAWFULLY MADE. All others infringe the Edison Patents, and are counterfeits. THE RIGHT OF THE EDISON COMPANY TO AN INJUNCTION ACAINST INFRINGERS HAS SEEN DETERMINED BY THE U.S. CIRCUIT COURT OF APPEALS. OOPIES OF DECISIONS SENT ON APPLICATION.

GENERAL ELECTRIC COMPANY.

New York OF FIGURE 2

Chicago, Ill. 600 Attantic Avenue.
Chicago, Ill. 600 Arch Street
Chicago, Ill. 600 Aller Silvey Street
Attants, Ga.
Bass Francisco, Cal. Bass of Street N. W.

SCIENTIFIC AMERICAN SUPPLE MENT. Any desired back number of the SCHENTLY AMERICAN SUPPLEMENT can be had at this office for 80 cents. Also to be had of newsdealurs in all parts of the country.

### PATENT JACKET KETTLES

# **ELECTRO VAPOR ENGINE**

GAS OR GASOLINE FOR FUEL.

NO BOLLER. NO PIRE. NO DANGER. NO ENGINEER.



Engine operated by spark from small battery, You turn the Switch, Engine does the rest, Regan Vapor Stattomary Engines, to il H. P. Hegan Vapor Pamping En-gines, 30 to 10,000 galions ca-pacity.

### THOMAS KANE & CO., CHICAGO, ILL.

"Send stemp for co-

ESTABLISHED 1846.

The Most Popular Scientific Paper in the World Only \$3.00 a Year, Including Postage. Weekly-52 Numbers a Year.

Weekly—52 Numbers a Year.

This widely circulated and spiendidly illustrated paper is published weekly. Every number contains sixteen pages of userful information and a large number of original engravings of new inventions and discoveries, representing Engineering Works, Steam Machinery, New Inventions, Novelties in Mochanics, Manufactures, Chemistry, Electricity, Telegraphy, Photography, Architecture, Agriculture, Horticulture, Natural History, etc. Complete list of patents each week.

Terms of Subscription.—One copy of the SCIENTIFFE AMERICAN will be sent for one year—32 numbers—postage prepaid, to any subscriber in the United States, Canada, or Mexico, on receipt of three deliars by the publishers; six months, \$1.50; three months, \$1.50. Clubs.—Special rates for several names, and to Post Masters. Write for particulars.

The safest way to result in by Postal Order, Draft, or Express Money Order. Money carefully placed inside of envelopes, securely scaled, and correctly addressed, seldom goes astray, but is at the sender's risk. Address all lettors and make all orders, drafts, etc., payable to MUNN & CO., 361 Broadway, New York.

MUNN & CO., 361 Broadway, New York.

## Scientific American Supplement

This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size. This is a separate and distinct publication from THE SCIENTIFIC AMERICAN, but is uniform therewith in size, every number containing sixteen large pages full of ongravings, many of which are taken from foreign papers and accompanied with translated descriptions. This SCIENTIFIC AMERICAN SUPPLEMENT is published weekly, and includes a very wide range of contents. It presents the most recent papers by eminent writers in all the principal departments of Science and the Useful Aria, embracing Biology, Geology, Mineralogy, Natural History, Geography, Archmology, Astronomy Chemistry, Electricity, Light, Hoat, Mochanical Engineering, Steam and Railway Engineering, Mining, Ship Building, Steam and Railway Engineering, Mining, Ship Building, Martine Engineering, Photography, Technology, Manufacturing Industries, Sanitary Engineering, Agriculture, Horticulture, Domestic Economy, Biography, Medicine, etc. A vast amount of fresh and valuable information obtainable in no other publication.

The most impertant Engineering Works, Mechanisms, and Maurifactures at home and abroad are illustrated and described in the SUPPLEMENT.

Price for the SUPPLEMENT, Deth malled Canada, \$5.00 a year; or one copy of the SCIENTIFIC AMERICAN and one copy of the SUPPLEMENT, both malled for one year for \$10.0 Single copies, 10 cents. Address and remit by postal order, express money order, or check, MUNN & COL., 361 Breadway, New York.

MUNN & CO., 361 Broadway, New York.

## Building Edition.

THE SCHETTIFIC AMERICAN ARCHITECTS' AND BUILDERS' EDITION is issued monthly. \$2.50 a year. Single copies, % cents. Forty large quarto pages, equal to about two hundred ordinary book pages: forming a large and splendid Magazine of Architecture, richly adorned with circumt plates in colors, and with other fine engravings: illustrating the most interesting examples of modern architectural construction and allied subjects. A special feature is the presentation in each number of a variety of the laisest and best plans for private residences, eity and country, including those of very moderate cost as well as the more expensive, Drawings in perspective and in color are given, together with full Plans, Specifications, Shoots of Details, Estimates, etc. The obscance and obsequence of this magnificent work have won for it the Largest Circulation of any Architectural publication in the world, Sold by all newsdealors. \$1.50 s year. Result to

MUNN & CO., Publishers,

PRINTING INKS.

